2002 ANNUAL INDEXES

Textile Research Journal

Volume 72

AUTHOR AND TITLE INDEX, pp. 1105–1114

MONTH	PAGES
January	1–92
February	93–186
March	187–280
April	281–374
May	375–468
June	469–562

SUBJECT INDEX, pp. 1115–1126

MONTH	PAGES
July	563–656
August	657–750
September	751–844
October	845–938
November	939–1032
December	1033–1126

AUTHOR AND TITLE INDEX

Abhiraman, A. S. Effect of Bonding Temperature on Load-Deformation Structural Changes in Point-Bonded Nonwoven Fabrics (*Kim, Pourdeyhimi, Desai*) 645

Adamsen, Anders Peter S. Chelating Agents and Enzyme Retting of Flax (*Akin, Rigsby*) 296

Chemical Retting of Flax Straw Under Alkaline Conditions (*Akin, Rigsby*) 789

Aggarwal, R. J. A New Concept in Cooler Design for False-Twist Texturing Systems (*Foster, Lu, Gunasekera, Cork*) 567

Akin, Danny E. Chelating Agents and Enzyme Retting of Flax (*Adamsen, Rigsby*) 296

Chemical Retting of Flax Straw Under Alkaline Conditions (*Adamsen, Rigsby*) 789

Influence on Flax Fibers of Components in Enzyme Retting Formulations (*Foulk, Dodd*) 510

Modifying Dew-Retted Flax Fibers by Means of an Air-Atomized Enzyme Treatment (*Evans, Morrison, Himmelsbach, Foulk*) 579

Retting Flax with Endopolygalacturonase from *Rhizopus oryzae* (*Slomczynski, Rigsby, Eriksson*) 27

Alston, P. V. Effect of Fiber Cross Section on Rotor Spinning of Polyester (*Hansen, Duncan*) 352

Ando, Masayoshi Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ohkawa, Shirakabe, Takahashi, Yamada, Shirai, Yamamoto*) 120

Au, K. F. Relaxation Shrinkage Characteristics of Steam-Ironed Plain Knitted Wool Fabrics (*Chen, Yuen, Yeung*) 463

Bach, Elke Damage to Natural and Synthetic Fibers Treated in Supercritical Carbon Dioxide at 300 bar and Temperatures up to 160°C (*Schmidt, Schollmeyer*) 1023

Three-Dimensional Flow Calculation in a Textile Dyeing Process (*Scharf, Cleve, Schollmeyer, Naderwitz*) 783

Banks-Lee, P. Air Permeability of Multilayered Nonwoven Fabrics: Comparison of Experimental and Theoretical Results (*Mohammadi*) 613

Bao, L. Restitution Characteristics of Yarns in the Axial Direction (*Sakurai, Takatera, Nakazawa, Shrohara*) 689

Bartels, Volkmar T. Water Vapor Transport Through Protective Textiles at Low Temperatures (*Umbach*) 899

Batra, Subhash K. Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Fiber Orientation and Diameter Distribution (*Farer, Seyam, Ghosh, Grant*) 1033

Bechtel, S. E. Stretching and Slipping of Fibers in Isothermal Draw Processes (*Vohra, Jacob*) 769

Beil, Norman B. Modeling and Computer Simulation of the Compressional Behavior of Fiber Assemblies Part I: Comparison to van Wyk's Theory (*Roberts*) 341

Part II: Hysteresis, Crimp, and Orientation Effects (*Roberts*) 375

Bertoniere, Noelie R. Effect of Whole Cellulase on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Howley, Goynes*) 963

Bianchet, Marco Festa Differentiating Fine Hairs from Wild and Domestic Species: Investigations of Shatoosh, Yangir, and Cashmere Fibers (*Tonin, Bianchetto, Vineis*) ... 701

Bianchetto, Michela Differentiating Fine Hairs from Wild and Domestic Species: Investigations of Shatoosh, Yangir, and Cashmere Fibers (*Tonin, Vineis, Bianchet*) 701

Bishop, David P. Using Cellulases to Improve the Dimensional Stability of Cellulosic Fabrics (*Cortez, Ellis*) 673

Blanchard, Eugene J. Improved Chemical Retting of Kenaf Fibers (*Parikh, Calamari, Sawhney, Screen, Warnock, Muller, Stryjewski*) 618

Polycarboxylic Acids for Flame Resistant Cotton/Polyester Carpeting (*Graves*) 39

Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Calamari, Sawhney, Screen, Myatt, Muller, Stryjewski*) 668

Bloch, J.-F. Structural Analysis by X-Ray Microtomography of a Strained Nonwoven Papermaker Felt (*Thibault*) 480

Borzone, Paolo Detecting Fabric Defects with a Neural Network Using Two Kinds of Optical Patterns (*Tilocca, Carosio, Durante*) 545

Bourham, M. A. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hwang, Hauser, Qiu, Cuomo, Hankins, Canup*) 491

Brezocnik, Miran Using Genetic Programming to Predict the Macroporosity of Woven Cotton Fabrics (*Dubrovski*) .. 187

Brook, D. B. Transfer Wicking Mechanisms of Knitted Fabrics Used as Undergarments for Outdoor Activities (*Zhuang, Harlock*) 727

Bruniaux, P. Constrained Dynamic Yarn Modeling (*Ngoc, Castelain*) 1002

Calamari, Timothy A. A Comparison of Yarn Evenness and Imperfection Data (*Price, Meredith*) 810

Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders*) 550

Cotton Wax and Its Relationship with Fiber and Yarn Properties Part I: Wax Content and Fiber Properties (*Cui, Price, Hemstreet, Meredith*) 399

Part II: Wax Content and Yarn Properties (*Price, Cui, Meredith*) 631
Improved Chemical Retting of Kenaf Fibers (*Parikh, Sawhney, Blanchard, Screen, Warnock, Muller, Stryjewski*) .. 618
Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski*) 668
Candan, C. Dimensional, Pilling, and Abrasion Properties of Weft Knits Made from Open-End and Ring Spun Yarns (*Önal*) 164
Canup, L. K. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hwang, Hauser, Qiu, Cuomo, Hankins, Bourham*) 491
Carbonell, Montse Physical Analysis of the Compression of Filament Assemblies (*Virto, Naik*) 474
Cardamone, Jeanette M. Digital Image Analysis for Fabric Assessment (*Damert, Phillips, Marmer*) 906
Carosio, Stefano Detecting Fabric Defects with a Neural Network Using Two Kinds of Optical Patterns (*Tilocca, Borzone, Durante*) 545
Carr, Wallace W. Determining Diffusion and Convective Mass Transfer Coefficients in Dyeing a Thin Flat Film (*McFarland, Michielsen*) 756
Improving Carpet Through-Air Drying by Means of Increased Air Permeability (*Lee, LaRoche*) 681
Carstensen, Jens Michael Fuzz and Pills Evaluated on Knitted Textiles by Image Analysis (*Jensen*) 34
Casali, John G. A Fabric Sound Evaluation System for Totally Auditory-Sensible Textiles (*Yi, Cho, Na*) 638
Castelain, J. M. Constrained Dynamic Yarn Modeling (*Ngoc, Bruniaux*) 1002
Cavaillé, J. Y. Washing Durability of Cotton Coated with a Flourinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Corpart, Quet, Delichère, Charret, David, Perriat*) 832
Cha, S. Y. Changes in the Mechanical Properties of Chitosan-Treated Wool Fabric (*Jeong, Yu, Park*) 70
Chae, D. W. Physical Properties of Lyocell Fibers Spun from Isotropic Cellulose Dope in NMMO Monohydrate (*Chae, Kim, Oh, Jo, Lee*) 335
Chae, H. G. Physical Properties of Lyocell Fibers Spun from Isotropic Cellulose Dope in NMMO Monohydrate (*Chae, Kim, Oh, Jo, Lee*) 335
Charret, N. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Corpart, Quet, Delichère, David, Cavaillé, Perriat*) 832
Chen, Cheng-Chi Dyeing Kinetics from a Finite Bath of Direct Dyes on DMDHEU-AA Crosslinked Cotton (*Chen, Yao, Chen*) 55
Chen, Chien-Hsin Dyeing Kinetics from a Finite Bath of Direct Dyes on DMDHEU-AA Crosslinked Cotton (*Chen, Yao, Chen*) 55
Chen, Jui-Chin Dyeing Kinetics from a Finite Bath of Direct Dyes on DMDHEU-AA Crosslinked Cotton (*Yao, Chen, Chen*) 55
Chen, Keqiang Analyzing the Dyeing Behavior and Chromaticity Characteristics of Polyester Microfibers (*Chen, Xing*) 367
Chen, Q. H. Relaxation Shrinkage Characteristics of Steam-Ironed Plain Knitted Wool Fabrics (*Au, Yuen, Yeung*) .. 463
Chen, X. Mouldability of Angle-Interlock Woven Fabrics for Technical Applications (*Lo, Tayyar, Day*) 195
Chen, Zhongxun Analyzing the Dyeing Behavior and Chromaticity Characteristics of Polyester Microfibers (*Chen, Xing*) 367
Cheng, K. P. S. JetRing Spinning and Its Influence on Yarn Hairiness (*Li*) 1079
Chiarakorn, S. Relationships Between Fibrillation Behavior of Lyocell Fibers and Their Physical Properties (*Udomkichdecha, Potiyaraj*) 939
Chiu, Shih-Hsuan Textural Defect Segmentation Using a Fourier-Domain Maximum Likelihood Estimation Method (*Chou, Liaw, Wen*) 253
Cho, Dae Hwan Geometric Modeling of a Cyber Replica System for Fabric Surface Property Grading (*Kang, Kim*) .. 44
Cho, Gilsoo A Fabric Sound Evaluation System for Totally Auditory-Sensible Textiles (*Yi, Na, Casali*) 638
Effects of Basic Weave Differences in Silk Fabric and Yarn Type Variations in Satin Weave on Sound Parameters (*Kim, Na*) 555
Thermal Storage/Release, Durability, and Temperature Sensing Properties of Thermostatic Fabrics Treated with Octadecane-Containing Microcapsules (*Kim*) 1093
Choe, Eun Kyung Infrared Analysis of Aqueous Textile Processing Solutions Using a ZnSe Horizontal ATR Cell (*You, Lee*) 290
Choi, Hyung-Min One-Bath Dyeing and Nonformaldehyde Durable Press Finishing of Cotton Using Dialdehyde and a Monochlorotriazinyl Reactive Dye 469
Chou, Shen Textural Defect Segmentation Using a Fourier-Domain Maximum Likelihood Estimation Method (*Chiu, Liaw, Wen*) 253
Christie, J. H. A New Model of DC Conductivity of Hygroscopic Solids Part I: Cellulosic Materials (*Woodhead*) .. 273
Part II: Wool and Silk (*Woodhead, Krenek, Sedcole*) 303
Chung, Yong Sik Breakage Characteristics of C.I. Disperse Red 60 Under an Ultrasound Field (*Lee, Kim*) 663
Ciobanu, O. Theoretical Analysis of Load-Extension Properties of Plain Weft Knits Made from High Performance Yarns for Composite Reinforcement (*Hong, de Araújo, Fangueiro*) 991
Cleve, E. Three-Dimensional Flow Calculation in a Textile Dyeing Process (*Scharf, Bach, Schollmeyer, Naderwitz*) 783
Cocquyt, Jan Quantifying Wetting and Wicking Phenomena in Cotton Terry as Affected by Fabric Conditioner Treatment (*Van der Meeren, Flores, Demeyere, Declercq*) .. 423
Cork, C. R. A New Concept in Cooler Design for False-Twist Texturing Systems (*Foster, Aggarwal, Lu, Gunasekera*) 567
Corpart, J. M. Washing Durability of Cotton Coated with a Flourinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Quet, Delichère, Charret, David, Cavaillé, Perriat*) 832
Cortez, João M. Using Cellulases to Improve the Dimensional Stability of Cellulosic Fabrics (*Ellis, Bishop*) 673
Couton, D. Dynamic Heat and Water Transfer Through Layered Fabrics (*Fohr, Treguier*) 1
Cui, Xiaoliang Leon Cotton Wax and Its Relationship with Fiber and Yarn Properties Part I: Wax Content and Fiber Properties (*Price, Calamari, Hemstreet, Meredith*) 399
Part II: Wax Content and Yarn Properties (*Price, Calamari, Meredith*) 631
Cuomo, J. J. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hwang, Hauser, Qiu, Hankins, Bourham, Canup*) 491

Dale, D. S. Cotton Color Classification by Fuzzy Logic (*Xu, Huang, Watson*) 504
Damert, William C. Digital Image Analysis for Fabric Assessment (*Cardamone, Phillips, Marmer*) 906
Dasgupta, K. Optical Analysis of Classimat Faults (*Mukhopadhyay, Sharma*) 178
David, L. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Corpart, Quet, Delichère, Charret, Cavaillé, Perriat*) 832
Dawson, R. M. Color and Weave Effects with Some Small Weave Repeat Sizes 854
Day, R. J. Mouldability of Angle-Interlock Woven Fabrics for Technical Applications (*Chen, Lo, Tayyar*) 195
de Araújo, M. D. Theoretical Analysis of Load-Extension Properties of Plain Weft Knits Made from High Performance Yarns for Composite Reinforcement (*Hong, Fangueiro, Ciobanu*) 991

Declercq, Marc Quantifying Wetting and Wicking Phenomena in Cotton Terry as Affected by Fabric Conditioner Treatment (*Van der Meeren, Cocquyt, Flores, Demeyere*) ... 423
Degrieck, Joris Numerical Simulation of the Yarn-Object Interaction (*Hung, Van Langenhove, Kiekens*) ... 657
Delichère, P. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Corpart, Quet, Charret, David, Cavaillé, Perriat*) ... 832
Demeyere, Hugo Quantifying Wetting and Wicking Phenomena in Cotton Terry as Affected by Fabric Conditioner Treatment (*Van der Meeren, Cocquyt, Flores, Declercq*) ... 423
Desai, P. Effect of Bonding Temperature on Load-Deformation Structural Changes in Point-Bonded Nonwoven Fabrics (*Kim, Pourdeyhimi, Abhiraman*) ... 645
Dias, T. Stitch Length Variation in Circular Knitting Machines Due to Yarn Winding Tension Variation in the Storage Yarn Feed Wheel (*Lanarolle*) ... 997
Ding, X. Analysis of Fluid Flow Through Fibrous Structures (*Zhong, Tang*) ... 751
Dodd, Roy B. Influence on Flax Fibers of Components in Enzyme Retting Formulations (*Akin, Foulk*) ... 510
Dubrovski, Polona Dobnik Using Genetic Programming to Predict the Macroporosity of Woven Cotton Fabrics (*Brezocnik*) ... 187
Duncan, P. J. Effect of Fiber Cross Section on Rotor Spinning of Polyester (*Alston, Hansen*) ... 352
Dupont, Daniel Measuring Fiber Fineness with the Sheffield Apparatus (*LeJarre*) ... 227
Durante, Antonio Detecting Fabric Defects with a Neural Network Using Two Kinds of Optical Patterns (*Tilocca, Borzone, Carosio*) ... 545

Elder, T. J. Aggregation of Direct Dyes Investigated by Molecular Modeling (*Inglesby, Zeronian*) ... 231
Ellis, John Using Cellulases to Improve the Dimensional Stability of Cellulosic Fabrics (*Cortez, Bishop*) ... 673
Eriksson, Karl-Erik L. Retting Flax with Endopolygalacturonase from *Rhizopus oryzae* (*Akin, Slomczynski, Rigsby*) . 27
Ertugrul, Seniz Predicting Circular Knitting Machine Parameters for Cotton Plain Fabrics Using Conventional and Neuro-Fuzzy Methods (*Uçar*) ... 361
Evans, Jeff D. Modifying Dew-Retted Flax Fibers by Means of an Air-Atomized Enzyme Treatment (*Akin, Morrison, Himmelsbach, Foulk*) ... 579

Fan, J. A Portable Tester for Nondestructively Measuring Fabric Properties (*Gardiner, Hunter*) ... 21
Comfort Sensations of Polo Shirts With and Without Wrinkle-Free Treatment (*Lau, Siu, Siu*) ... 949
Effects of Repeated Laundering on the Performance of Garments with Wrinkle-Free Treatment (*Lau, Siu, Siu*) ... 931
Fangueiro, R. Theoretical Analysis of Load-Extension Properties of Plain Weft Knits Made from High Performance Yarns for Composite Reinforcement (*Hong, de Araújo, Ciobanu*) ... 991
Farer, Raoul Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Fiber Orientation and Diameter Distribution (*Seyam, Ghosh, Grant, Batra*) ... 1033
Flores, Silvia Quantifying Wetting and Wicking Phenomena in Cotton Terry as Affected by Fabric Conditioner Treatment (*Van der Meeren, Cocquyt, Demeyere, Declercq*) 423
Fohr, J. P. Dynamic Heat and Water Transfer Through Layered Fabrics (*Couton, Treguier*) ... 1
Foster, P. W. A New Concept in Cooler Design for False-Twist Texturing Systems (*Aggarwal, Lu, Gunasekera, Cork*) ... 567
Foulk, John A. Influence on Flax Fibers of Components in Enzyme Retting Formulations (*Akin, Dodd*) ... 510
Modifying Dew-Retted Flax Fibers by Means of an Air-Atomized Enzyme Treatment (*Evans, Akin, Morrison, Himmelsbach*) ... 579
Single Cotton Fiber Properties of Low, Ideal, and High Micronaire Values (*McAlister*) ... 885
Frydrych, Iwona Predicting the Nep Number in Cotton Yarn—Determining the Critical Nep Size (*Matusiak*) ... 917
Frydrych, Richard Seed Coat Fragments: The Consequences of Carding and the Impact of Attached Fibers (*Krifa, Gozé*) 259
Fushimi, Satoshi Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong*) ... 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Saito, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Shirai, Morooka, Gong*) ... 735

Gamble, Gary R. Thermochemical Degradation of Melezitose and Trehalulose as Related to Cotton Stickiness ... 174
Gardiner, I. V. A Portable Tester for Nondestructively Measuring Fabric Properties (*Fan, Hunter*) ... 21
Gayon, A. C. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Corpart, Quet, Delichère, Charret, David, Cavaillé, Perriat*) ... 832
Ghosh, S. Bandyopadhyay Experimental and Theoretical Characterization of the Geometry of Two-Dimensional Braided Fabrics (*Lomov, Parnas, Verpoest, Nakai*) ... 706
Ghosh, Tushar K. Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Fiber Orientation and Diameter Distribution (*Farer, Seyam, Grant, Batra*) ... 1033
Online Characterization of Fabric Compressional Behavior (*Huang*) ... 103
Glynn, E. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Sawhney, Robert, Kimmel, Jirsak, Mackova, Saunders*) ... 550
Gniotek, Krzysztof Determining the Impact Permeability Index of Textiles (*Tokarska*) ... 170
Godfrey, Thomas A. Hybrid Effect at Fiber Breaks in Twisted Blended Yarns (*Rossettos*) ... 313
Göktepe, Özer Fabric Pilling Performance and Sensitivity of Several Pilling Testers ... 625
Three-Dimensional Computer Modeling of Warp Knitted Structures (*Harlock*) ... 266
Gong, Hugh Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto*) ... 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Shirai, Morooka*) ... 735
Gong, R. H. Effects of Clothing Material on Thermoregulatory Responses (*Zhang, Yanai, Tokura*) ... 83
Gore, S. E. Appearance of Fibers from *Trichosurus vulpecula* (Opossum) (*Laing*) ... 201
Gorenšek, Marija The Influence of Treatment Conditions on the Quantity and Composition of Oligomers Extracted from Polyester Fabric (*Recelj, Žigon*) ... 447
Goynes, Wilton R. Jr. Effect of Whole Cellulase on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Bertoniere, Howley*) ... 963
Gozé, Éric Seed Coat Fragments: The Consequences of Carding and the Impact of Attached Fibers (*Krifa, Frydrych*) ... 259
Grant, Eddie Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Fiber Orientation and Diameter Distribution (*Farer, Seyam, Ghosh, Batra*) ... 1033
Graves, Elena E. Polycarboxylic Acids for Flame Resistant Cotton/Polyester Carpeting (*Blanchard*) ... 39
Gunasekera, U. S. W. A New Concept in Cooler Design for False-Twist Texturing Systems (*Foster, Aggarwal, Lu, Cork*) ... 567

Hankins, O. E. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hwang, Hauser, Qiu, Cuomo, Bourham, Canup*) 491
Hansen, S. M. Effect of Fiber Cross Section on Rotor Spinning of Polyester (*Alston, Duncan*) 352
Harlock, S. C. Three-Dimensional Computer Modeling of Warp Knitted Structures (*Göktepe*) 266
Transfer Wicking Mechanisms of Knitted Fabrics Used as Undergarments for Outdoor Activities (*Zhuang, Brook*) 727
Hauser, P. J. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hwang, Qiu, Cuomo, Hankins, Bourham, Canup*) 491
Havenith, George Moisture Accumulation in Sleeping Bags at Subzero Temperatures—Effect of Semipermeable and Impermeable Covers 281
Hayashi, Aya Liquid Ammonia Treatment of Nylon 6 Fabric (*Lee, Lee, Wakida, Okada, Yanai*) 539
He, Weiyu Mechanical Behavior of Irregular Fibers Part III: Flexural Buckling Behavior (*Wang*) 573
Hemstreet, James M. Cotton Wax and Its Relationship with Fiber and Yarn Properties Part I: Wax Content and Fiber Properties (*Cui, Price, Calamari, Meredith*) 399
Higashimura, Toshinobu Absorption Behavior of Metal Ions on Chitin/Cellulose Composite Fibers with Chemical Modification by EDTA (*Izumi, Shimizu*) 515
Himmelsbach, David S. Modifying Dew-Retted Flax Fibers by Means of an Air-Atomized Enzyme Treatment (*Evans, Akin, Morrison, Foulk*) 579
Hirai, Toshihiro Dyeing Conventional and Microfiber Polyester with Disperse Dyes (*Uddin, Watanabe, Shirai*) 77
Letter to the Editor (*Uddin*) 1104
Hong, H. Theoretical Analysis of Load-Extension Properties of Plain Weft Knits Made from High Performance Yarns for Composite Reinforcement (*de Araújo, Fangueiro, Ciobanu*) 991
Hongyou, Setsuaki Dyeing Cellulose Fibers with Reactive Disperse Dyes in Supercritical Carbon Dioxide (*Maeda, Kunitou, Mishima*) 240
Hori, T. A New Creaseproof Finish for Wool Using 2-Iminothiorane Hydrochloride and Its Reaction Mechanism (*Kuzuhara*) 526
Reducing Wrinkle Formation in Wool with 2-Iminothiorane Hydrochloride (*Kuzuhara*) 285
Howley, Phyllis S. Effect of Whole Cellulase on the Supramolecular Structure of Cotton Cellulose (*Rousselle, Bertoniere, Goynes*) 963
Hsieh, Chien-Teng Model Reduction and Controller Design of a Whole Roller Carding System (*Kuo*) 98
Hu, Cheng Wash-and-Wear Finishing of Silk Fabrics with a Water-Soluble Polyurethane (*Jin*) 1009
Hu, Jinlian A New Tensile Model for Rotor Spun Yarns (*Jiang, Postle*) 892
Classifying Fleece Fabric Appearance by Extended Morphological Fractal Analysis (*Xin, Yan*) 879
Objective Evaluation of Fabric Pilling Using Image Analysis Techniques (*Xin, Yan*) 1057
Measuring and Modeling 3D Wrinkles in Fabrics (*Xin, Yan*) 863
Modeling a Fabric Drape Profile (*Lo, Li*) 454
Shear Properties of Woven Fabrics in Various Directions (*Lo*) 383
Tensile Drawing of Rotor Spun Yarn Part I: Consideration of Processing Variables and Property Changes in Generated Yarns (*Jiang*) 741
Part II: Characterizing Fabrics from Generated Yarns (*Jiang, Postle*) 763
Huang, Ju-Ming Scanning Force Microscopy Studies of the Surface Structure of Activated Carbon Fabric (*Wang, Wang*) 140
Huang, Wensheng Online Characterization of Fabric Compressional Behavior (*Ghosh*) 103
Huang, Xiubao Parameters of Rotor Spun Slub Yarn (*Wang*) .. 12
Huang, Y. Cotton Color Classification by Fuzzy Logic (*Xu, Dale, Watson*) 504
Image Analysis for Cotton Fibers Part I: Longitudinal Measurements (*Xu*) 713
Huh, You Analyzing Structural and Physical Properties of Ring, Rotor, and Friction Spun Yarns (*Kim, Oxenham*) 156
Hunter, L. A Portable Tester for Nondestructively Measuring Fabric Properties (*Fan, Gardiner*) 21
Hung, Dang Vu Numerical Simulation of the Yarn-Object Interaction (*Degrieck, Van Langenhove, Kiekens*) 657
Hwang, Young-Gu Comparison of Total Hand of Single Knitted Fabrics Made from lincLITE® and Conventional Wool Yarns (*Park*) 924
Hwang, Y. J. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hauser, Qiu, Cuomo, Hankins, Bourham, Canup*) 491
Hynninen, Paavo H. Dermorubin and 5-Chlorodermorubin Natural Anthraquinone Carboxylic Acids as Dyes for Wool (*Räisänen, Nousiainen*) 973

Inglesby, M. K. Aggregation of Direct Dyes Investigated by Molecular Modeling (*Zeronian, Elder*) 231
Izumi, Shinya Absorption Behavior of Metal Ions on Chitin/Cellulose Composite Fibers with Chemical Modification by EDTA (*Shimizu, Higashimura*) 515

Jacob, K. I. Stretching and Slipping of Fibers in Isothermal Draw Processes (*Bechtel, Vohra*) 769
Jensen, Kåre L. Fuzz and Pills Evaluated on Knitted Textiles by Image Analysis (*Carstensen*) 34
Jeong, Sung H. Sequential Chanelling of Mass Variances in Spun Yarn Manufacturing Processes (*Suh*) 721
Jeong, Y. J. Changes in the Mechanical Properties of Chitosan-Treated Wool Fabric (*Cha, Yu, Park*) 70
Jiang, Xiuying A New Tensile Model for Rotor Spun Yarns (*Hu, Postle*) 892
Tensile Drawing of Rotor Spun Yarn Part I: Consideration of Processing Variables and Property Changes in Generated Yarns (*Hu*) 741
Part II: Characterizing Fabrics from Generated Yarns (*Hu, Postle*) 763
Jin, Yejuan Wash-and-Wear Finishing of Silk Fabrics with a Water-Soluble Polyurethane (*Hu*) 1009
Jirsak, O. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Mackova, Saunders*) 550
Jo, S. M. Physical Properties of Lyocell Fibers Spun from Isotropic Cellulose Dope in NMMO Monohydrate (*Chae, Chae, Kim, Oh, Lee*) 335
Juhué, D. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Gayon, Corpart, Quet, Delichère, Charret, David, Cavaillé, Perriat*) 832

Kang, Tae Jin Dimensional and Surface Properties of Plasma and Silicone Treated Wool Fabric (*Kim*) 113
Geometric Modeling of a Cyber Replica System for Fabric Surface Property Grading (*Cho, Kim*) 44
Objective Evaluation of the Trash and Color of Raw Cotton by Image Processing and Neural Network (*Kim*) 776
Kawamura, T. Developing a Twist Draft Spinning System for Small-Scale Production of Special Material Yarns (*Takemura, Nakazawa, Kobayashi*) 135
Khishigsuren, Ariyajavin Using Sodium Bisulfite as a Rinsing Auxiliary in Bleaching Cashmere (*Nakajima, Takahashi*) 51
Kiekens, Paul Numerical Simulation of the Yarn-Object Interaction (*Hung, Degrieck, Van Langenhove*) 657
Kinari, Toshiyasu Polyester "Shingosen" Fabrics Characterized by Dynamic Drape Coefficient with Swinging Motion (*Matsudaira, Yang, Shintaku*) 410

Kim, B. C. Physical Properties of Lyocell Fibers Spun from Isotropic Cellulose Dope in NMMO Monohydrate (*Chae, Chae, Oh, Jo, Lee*) 335
Kim, Chunjeong Effects of Basic Weave Differences in Silk Fabric and Yarn Type Variations in Satin Weave on Sound Parameters (*Cho, Na*) 555
Kim, Han-Do Friction of Cotton Yarn in Relation to Fluff Formation on Circular Knitting Machines (*Koo*) 17
Kim, H. S. Effect of Bonding Temperature on Load-Deformation Structural Changes in Point-Bonded Nonwoven Fabrics (*Pourdeyhimi, Abhiraman, Desai*) 645
Measuring Fiber Orientation in Nonwovens: The Hough Transform (*Pourdeyhimi*) 803
Kim, Hyungsup Novel Observation Technique for Contact Condition of Fabric (*Sakaguchi, Matsumoto, Toriumi*) 221
Kim, Jae Pil Breakage Characteristics of C.I. Disperse Red 60 Under an Ultrasound Field (*Lee, Chung*) 663
Kim, Junghye Thermal Storage/Release, Durability, and Temperature Sensing Properties of Thermostatic Fabrics Treated with Octadecane-Containing Microcapsules (*Cho*) 1093
Kim, Min Sun Dimensional and Surface Properties of Plasma and Silicone Treated Wool Fabric (*Kang*) 113
Kim, Soo Chang Objective Evaluation of the Trash and Color of Raw Cotton by Image Processing and Neural Network (*Kang*) 776
Kim, Sung Min Geometric Modeling of a Cyber Replica System for Fabric Surface Property Grading (*Kang, Cho*) 44
Kim, Young Hee Functional Finishing of Acrylic and Cationic Dyeable Fabrics: Intermolecular Interactions (*Sun*) 1052
Kim, Young Ryul Analyzing Structural and Physical Properties of Ring, Rotor, and Friction Spun Yarns (*Huh, Oxenham*) 156
Kimmel, L. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Sawhney, Robert, Glynn, Jirsak, Mackova, Saunders*) 550
Kobayashi, T. Developing a Twist Draft Spinning System for Small-Scale Production of Special Material Yarns (*Takemura, Nakazawa, Kawamura*) 135
Kobayashi, Yasuko Deodorant Properties of Wool Fabrics Dyed with Acid Mordant Dyes and a Copper Salt (*Nakanishi, Komiyama*) 125
Deodorizing Properties of Cotton Fabrics Dyed with Direct Dyes and a Copper Salt (*Sekiguchi, Nakanishi, Komiyama*) 1088
Kohel, Ludovic Area-Based Strategy for Determining Web Uniformity (*Pourdeyhimi*) 1065
Kokol, Vanja Influence of Different Guar Thickeners on Interactions with Monoreactive Dyes and Cellulose Fibers (*Turk, Schneider*) 211
Komiyama, Jiro Deodorant Properties of Wool Fabrics Dyed with Acid Mordant Dyes and a Copper Salt (*Kobayashi, Nakanishi*) 125
Deodorizing Properties of Cotton Fabrics Dyed with Direct Dyes and a Copper Salt (*Kobayashi, Sekiguchi, Nakanishi*) 1088
Evaluating Wrinkled Fabrics with Image Analysis and Neural Networks (*Mori*) 417
Kong, L. X. Intelligent Animal Fiber Classification with Artificial Neural Networks (*She, Nahavandi, Kouzani*) 594
Koo, Young-Seok Friction of Cotton Yarn in Relation to Fluff Formation on Circular Knitting Machines (*Kim*) 17
Kouzani, A. Z. Intelligent Animal Fiber Classification with Artificial Neural Networks (*She, Kong, Nahavandi*) 594
Kowk, Y. L. Mathematical Simulation of the Perception of Fabric Thermal and Moisture Sensations (*Wang, Li, Yeung*) 327
Krenek, S. A New Model of DC Conductivity of Hygroscopic Solids Part II: Wool and Silk (*Christie, Woodhead, Sedcole*) 303
Krifa, Mourad Seed Coat Fragments: The Consequences of Carding and the Impact of Attached Fibers (*Frydrych, Gozé*) 259
Kunitou, Katsushi Dyeing Cellulose Fibers with Reactive Disperse Dyes in Supercritical Carbon Dioxide (*Maeda, Hongyou, Mishima*) 240
Kuo, Chung-Feng Jeffrey Model Reduction and Controller Design of a Whole Roller Carding System (*Hsieh*) 98
Kuo, T. Y. Particle Filtration with an Electret of Nonwoven Polypropylene Fabric (*Yang, Lin, Tsai*) 1099
Kuzuhara, A. A New Creaseproof Finish for Wool Using 2-Iminothiorane Hydrochloride and Its Reaction Mechanism (*Hori*) 526
Reducing Wrinkle Formation in Wool with 2-Iminothiorane Hydrochloride (*Hori*) 285

Lai, Sang-Song Stain Test for the Fiber Blending Ratio of a Polyester/Cellulose Nonwoven 499
Laing, R. M. Appearance of Fibers from *Trichosurus vulpecula* (Opossum) (*Gore*) 201
Lanarolle, G. Stitch Length Variation in Circular Knitting Machines Due to Yarn Winding Tension Variation in the Storage Yarn Feed Wheel (*Dias*) 997
LaRoche, Jason K. Improving Carpet Through-Air Drying by Means of Increased Air Permeability (*Lee, Carr*) 681
Laton, M. Analysis of Energy Dissipation in Twisted Fiber Bundles Under Cyclic Tensile Loading (*Qiu, Wang, Mi*) 585
Lau, L. Comfort Sensations of Polo Shirts With and Without Wrinkle-Free Treatment (*Fan, Siu, Siu*) 949
Effects of Repeated Laundering on the Performance of Garments with Wrinkle-Free Treatment (*Fan, Siu, Siu*) 931
Lee, Beom Soo Infrared Analysis of Aqueous Textile Processing Solutions Using a ZnSe Horizontal ATR Cell (*Choe, You*) 290
Lee, H. Stephen Improving Carpet Through-Air Drying by Means of Increased Air Permeability (*Carr, LaRoche*) ... 681
Lee, Keun Wan Breakage Characteristics of C.I. Disperse Red 60 Under an Ultrasound Field (*Chung, Kim*) 663
Lee, Muncheul Liquid Ammonia Treatment of Nylon 6 Fabric (*Lee, Wakida, Hayashi, Okada, Yanai*) 539
Lee, Myung Sun Liquid Ammonia Treatment of Nylon 6 Fabric (*Lee, Wakida, Hayashi, Okada, Yanai*) 539
Lee, Shyong A Method of Feature Selection for Textile Yarn Grading Using the Effective Distance Between Clusters (*Lien*) 870
Applying Pattern Recognition Principles to Grading Textile Yarns (*Lien*) 320
Lee, W. S. Physical Properties of Lyocell Fibers Spun from Isotropic Cellulose Dope in NMMO Monohydrate (*Chae, Chae, Kim, Oh, Jo*) 335
Lenting, H. B. M. Identifying Important Parameters for a Continuous Bioscouring Process (*Zwier, Nierstrasz*) 825
LeJarre, Pierre Measuring Fiber Fineness with the Sheffield Apparatus (*Dupont*) 227
Li, C. H. L. JetRing Spinning and Its Influence on Yarn Hairiness (*Cheng*) 1079
Li, Jiexin Differential-Twist Wrapped Yarns Made on a Hollow Spindle Spinning Machine (*Li, Zhang*) 181
Li, L. K. Modeling a Fabric Drape Profile (*Lo, Hu*) 454
Li, Xin Differential-Twist Wrapped Yarns Made on a Hollow Spindle Spinning Machine (*Zhang, Li*) 181
Li, Yaohua Effects of Some Surfactants as Stabilizers to Reduce the Phase Separation Rates of Blended Pastes for Warp Sizing (*Zhu*) 206
Li, Yi Evaluating and Predicting Fabric Bagging with Image Processing (*Yeung, Zhang, Yao*) 693
Influence of Thickness and Porosity on Coupled Heat and Liquid Moisture Transfer in Porous Textiles (*Zhu, Yeung*) 435
Mathematical Simulation of the Perception of Fabric Thermal and Moisture Sensations (*Wang, Kowk, Yeung*) 327
Numerical Simulation of 3D Dynamic Garment Pressure (*Zhang, Yeung*) 245
Liaw, Jiun-Jian Textural Defect Segmentation Using a Fourier-Domain Maximum Likelihood Estimation Method (*Chiu, Chou, Wen*) 253
Lickfield, Gary C. Chemical Analysis of 1,2,3,4-Butanetetracarboxylic Acid (*Yang, Lu*) 817

Liu, H. Probability Fracture Mechanics of Wear in Wool Carpet Part I: Wear Model of Cut Pile Carpet (*Tandon, Wood*) 954
Lien, Hsin-Chung A Method of Feature Selection for Textile Yarn Grading Using the Effective Distance Between Clusters (*Lee*) ... 870
Applying Pattern Recognition Principles to Grading Textile Yarns (*Lee*) ... 320
Lin, J. H. Particle Filtration with an Electret of Nonwoven Polypropylene Fabric (*Yang, Tsai, Kuo*) ... 1099
Lin, Jeng-Jong Applying a Co-occurrence Matrix to Automatic Inspection of Weaving Density for Woven Fabrics ... 486
Liu, H. Probability Fracture Mechanics of Wear in Wool Carpet Part II: Wear Model of Loop Pile Carpet (*Tandon, Wood*) 958
Lo, W. M. Modeling a Fabric Drape Profile (*Hu, Li*) ... 454
Shear Properties of Woven Fabrics in Various Directions (*Hu*) ... 383
Lo, W.-Y. Mouldability of Angle-Interlock Woven Fabrics for Technical Applications (*Chen, Tayyar, Day*) ... 195
Lomov, S. V. Experimental and Theoretical Characterization of the Geometry of Two-Dimensional Braided Fabrics (*Parnas, Ghosh, Verpoest, Nakai*) ... 706
Lu, B. I. A New Concept in Cooler Design for False-Twist Texturing Systems (*Foster, Aggarwal, Gunasekera, Cork*) 567
Lu, Jianjun Polymeric Fluorocarbon-Coated Polyester Substrates for Waterproof Breathable Fabrics (*Qi, Sui, Ma, Wang, Sun*) ... 93
Lu, Yiping Chemical Analysis of 1,2,3,4-Butanetetracarboxylic Acid (*Yang, Lickfield*) ... 817

Ma, Zhaoli Polymeric Fluorocarbon-Coated Polyester Substrates for Waterproof Breathable Fabrics (*Qi, Sui, Wang, Sun, Lu*) ... 93
Mackova, I. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Saunders*) ... 550
Maeda, Shingo Dyeing Cellulose Fibers with Reactive Disperse Dyes in Supercritical Carbon Dioxide (*Hongyou, Kunitou, Mishima*) ... 240
Marmer, William N. Digital Image Analysis for Fabric Assessment (*Cardamone, Damert, Phillips*) ... 906
Martin, Denise L. A Combinatorial Method for Developing Deep Dye Polyesters (*Schiraldi*) ... 153
Matsudaira, Mitsuo Polyester "Shingosen" Fabrics Characterized by Dynamic Drape Coefficient with Swinging Motion (*Yang, Kinari, Shintaku*) ... 410
Matsumoto, Yo-ichi Effects of Pin Drafting on Irregularities of Sliver Made from Fine Denier Fibers (*Sakaguchi, Toriumi*) ... 429
Novel Observation Technique for Contact Condition of Fabric (*Sakaguchi, Toriumi, Kim*) ... 221
Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Gong*) ... 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Fushimi, Saito, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Shirai, Morooka, Gong*) ... 735
Matusiak, Małgorzata Predicting the Nep Number in Cotton Yarn—Determining the Critical Nep Size (*Frydrych*) ... 917
McAlister, David D. III Single Cotton Fiber Properties of Low, Ideal, and High Micronaire Values (*Foulk*) ... 885
McCord, M. G. Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*Hwang, Hauser, Qiu, Cuomo, Hankins, Bourham, Canup*) ... 491
McFarland, Elizabeth Gramling Determining Diffusion and Convective Mass Transfer Coefficients in Dyeing a Thin Flat Film (*Carr, Michielsen*) ... 756
Memon, A. A Novel Stress-Freezing Technique for Studying the Compressional Behavior of Woven Fabrics (*Potluri, Wilding*) ... 1073
Meredith, William R. Jr. A Comparison of Yarn Evenness and Imperfection Data (*Price, Calamari*) ... 810
Cotton Wax and Its Relationship with Fiber and Yarn Properties Part I: Wax Content and Fiber Properties (*Cui, Price, Calamari, Hemstreet*) ... 399
Part II: Wax Content and Yarn Properties (*Price, Cui, Calamari*) ... 631
Mi, J. Z. Analysis of Energy Dissipation in Twisted Fiber Bundles Under Cyclic Tensile Loading (*Qiu, Wang, Laton*) 585
Michielsen, Stephen Determining Diffusion and Convective Mass Transfer Coefficients in Dyeing a Thin Flat Film (*McFarland, Carr*) ... 756
Morphology Gradients in Thermally Point-Bonded Poly(ethylene Terephthalate) Nonwovens (*Wang*) ... 394
Miller, R. W. Manipulating Fiber Structure to Stabilize Geometry in Fibers and Yarns ... 601
Subjective Property Characterization by "Quad" Analysis: An Efficient Method for Conducting Paired Comparisons 1041
Mishima, Kenji Dyeing Cellulose Fibers with Reactive Disperse Dyes in Supercritical Carbon Dioxide (*Maeda, Hongyou, Kunitou*) ... 240
Mohammadi, M. Air Permeability of Multilayered Nonwoven Fabrics: Comparison of Experimental and Theoretical Results (*Banks-Lee*) ... 613
Mori, Toshio Evaluating Wrinkled Fabrics with Image Analysis and Neural Networks (*Komiyama*) ... 417
Morooka, Hideo Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Shirai, Gong*) ... 735
Morrison, Wiley H. III Modifying Dew-Retted Flax Fibers by Means of an Air-Atomized Enzyme Treatment (*Evans, Akin, Himmelsbach, Foulk*) ... 579
Mukhopadhyay, A. Optical Analysis of Classimat Faults (*Sharma, Dasgupta*) ... 178
Muller, D. H. Improved Chemical Retting of Kenaf Fibers (*Parikh, Calamari, Sawhney, Blanchard, Screen, Warnock, Stryjewski*) ... 618
Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Stryjewski*) ... 668
Myatt, J. C. Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Calamari, Sawhney, Blanchard, Screen, Muller, Stryjewski*) ... 668

Na, Youngjoo A Fabric Sound Evaluation System for Totally Auditory-Sensible Textiles (*Yi, Cho, Casali*) ... 638
Effects of Basic Weave Differences in Silk Fabric and Yarn Type Variations in Satin Weave on Sound Parameters (*Kim, Cho*) ... 555
Naderwitz, P. Three-Dimensional Flow Calculation in a Textile Dyeing Process (*Scharf, Cleve, Bach, Schollmeyer*) ... 783
Nahavandi, S. Intelligent Animal Fiber Classification with Artificial Neural Networks (*She, Kong, Kouzani*) ... 594
Naik, Arun Physical Analysis of the Compression of Filament Assemblies (*Virto, Carbonell*) ... 474
Nakai, A. Experimental and Theoretical Characterization of the Geometry of Two-Dimensional Braided Fabrics (*Lomov, Parnas, Ghosh, Verpoest*) ... 706
Nakajima, Masaru Using Sodium Bisulfite as a Rinsing Auxiliary in Bleaching Cashmere (*Khishigsuren, Takahashi*) ... 51
Nakajima, Tetsuo Dyeing Chitin/Cellulose Composite Fibers with an Acid Dye (*Shimizu, Yoshikawa, Takagishi*) ... 563
Nakanishi, Tadashi Deodorant Properties of Wool Fabrics Dyed with Acid Mordant Dyes and a Copper Salt (*Kobayashi, Komiyama*) ... 125
Deodorizing Properties of Cotton Fabrics Dyed with Direct Dyes and a Copper Salt (*Kobayashi, Sekiguchi, Komiyama*) ... 1088
Nakazawa, M. Developing a Twist Draft Spinning System for Small-Scale Production of Special Material Yarns (*Takemura, Kawamura, Kobayashi*) ... 135
Restitution Characteristics of Yarns in the Axial Direction (*Bao, Sakurai, Takatera, Shrohara*) ... 689

Nergis, Banu Uygun Factors Influencing the Properties of Ladder-Knit Fancy Yarns 686
Ngoc, C. Ngo Constrained Dynamic Yarn Modeling (*Bruniaux, Castelain*) 1002
Nierstrasz, V. A. Identifying Important Parameters for a Continuous Bioscouring Process (*Lenting, Zwier*) 825
Nishimatsu, Toyonori Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Shimizu, Shirai, Matsumoto, Gong*) 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Shimizu, Shirai, Morooka, Gong*) 735
Nousiainen, Pertti Dermorubin and 5-Chlorodermorubin Natural Anthraquinone Carboxylic Acids as Dyes for Wool (*Räisänen, Hynninen*) 973

Oh, Y. S. Physical Properties of Lyocell Fibers Spun from Isotropic Cellulose Dope in NMMO Monohydrate (*Chae, Chae, Kim, Jo, Lee*) 335
Ohkawa, Kousaku Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ando, Shirakabe, Takahashi, Yamada, Shirai, Yamamoto*) 120
Okada, Susumu Liquid Ammonia Treatment of Nylon 6 Fabric (*Lee, Lee, Wakida, Hayashi, Yanai*) 539
Önal, L. Dimensional, Pilling, and Abrasion Properties of Weft Knits Made from Open-End and Ring Spun Yarns (*Candan*) 164
Oxenham, William Analyzing Structural and Physical Properties of Ring, Rotor, and Friction Spun Yarns (*Huh, Kim*) 156

Pai, Hsin-I Fluid Simulation of the Airflow in Texturing Jets (*Rwei*) 520
Pan, Ding A New Cellulose Based Carbon Fiber from a Lyocell Precursor (*Wu*) 405
Parikh, D. V. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders*) 550
Improved Chemical Retting of Kenaf Fibers (*Calamari, Sawhney, Blanchard, Screen, Warnock, Muller, Stryjewski*) 618
Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Calamari, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski*) 668
Park, Shin-Woong Comparison of Total Hand of Single Knitted Fabrics Made from lincLITE® and Conventional Wool Yarns (*Hwang*) 924
Determining the Structural Parameters That Affect Overall Properties of Warp Knitted Fabrics Using Cluster Analysis (*Yoon*) 1013
Park, W. H. Changes in the Mechanical Properties of Chitosan-Treated Wool Fabric (*Jeong, Cha, Yu*) 70
Parnas, R. S. Experimental and Theoretical Characterization of the Geometry of Two-Dimensional Braided Fabrics (*Lomov, Ghosh, Verpoest, Nakai*) 706
Perriat, P. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Corpart, Quet, Delichère, Charret, David, Cavaillé*) 832
Phillips, John G. Digital Image Analysis for Fabric Assessment (*Cardamone, Damert, Marmer*) 906
Pielesz, A. SAXS Method for Evaluating Changes in the Supermolecular Structure of Wool Fibers Treated with Chemical Agents (*Włochowicz, Ślusarczyk*) 308
Pollet, D. M. Low-Force Dynamic Lateral Compression of Fabrics (*Taylor*) 845
Static Low-Load Lateral Compression of Fabrics (*Taylor*) 983
Postle, Ron A New Tensile Model for Rotor Spun Yarns (*Jiang, Hu*) 892
Tensile Drawing of Rotor Spun Yarn Part II: Characterizing Fabrics from Generated Yarns (*Hu, Jiang*) 763
Potiyaraj, P. Relationships Between Fibrillation Behavior of Lyocell Fibers and Their Physical Properties (*Udomkichdecha, Chiarakorn*) 939
Potluri, P. A Novel Stress-Freezing Technique for Studying the Compressional Behavior of Woven Fabrics (*Wilding, Memon*) 1073
Pourdeyhimi, Behnam Area-Based Strategy for Determining Web Uniformity (*Kohel*) 1065
Effect of Bonding Temperature on Load-Deformation Structural Changes in Point-Bonded Nonwoven Fabrics (*Kim, Abhiraman, Desai*) 645
Measuring Fiber Orientation in Nonwovens: The Hough Transform (*Kim*) 803
Pouresfandiari, Farshid Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong*) 61
Price, John B. A Comparison of Yarn Evenness and Imperfection Data (*Calamari, Meredith*) 810
Cotton Wax and Its Relationship with Fiber and Yarn Properties Part I: Wax Content and Fiber Properties (*Cui, Calamari, Hemstreet, Meredith*) 399
Part II: Wax Content and Yarn Properties (*Cui, Calamari, Meredith*) 631

Quet, C. Washing Durability of Cotton Coated with a Fluorinated Resin: An AFM, XPS, and Low Frequency Mechanical Spectroscopy Study (*Juhué, Gayon, Corpart, Delichère, Charret, David, Cavaillé, Perriat*) 832
Qi, Hongjin Polymeric Fluorocarbon-Coated Polyester Substrates for Waterproof Breathable Fabrics (*Sui, Ma, Wang, Sun, Lu*) 93
Qiu, Y. Analysis of Energy Dissipation in Twisted Fiber Bundles Under Cyclic Tensile Loading (*Wang, Laton, Mi*) .. 585
Modifying Nylon and Polypropylene Fabrics with Atmospheric Pressure Plasmas (*McCord, Hwang, Hauser, Cuomo, Hankins, Bourham, Canup*) 491

Radhakrishnaiah, P. Objective and Subjective Analysis of Knitted Fabric Bagging (*Uçar, Realff, Ucar*) 977
Räisänen, Rikka Dermorubin and 5-Chlorodermorubin Natural Anthraquinone Carboxylic Acids as Dyes for Wool (*Nousiainen, Hynninen*) 973
Realff, M. L. Objective and Subjective Analysis of Knitted Fabric Bagging (*Uçar, Radhakrishnaiah, Ucar*) 977
Recelj, Petra The Influence of Treatment Conditions on the Quantity and Composition of Oligomers Extracted from Polyester Fabric (*Gorenšek, Žigon*) 447
Rigsby, Luanne L. Chelating Agents and Enzyme Retting of Flax (*Adamsen, Akin*) 296
Chemical Retting of Flax Straw Under Alkaline Conditions (*Adamsen, Akin*) 789
Retting Flax with Endopolygalacturonase from *Rhizopus oryzae* (*Akin, Slomczynski, Eriksson*) 27
Rinderer, Beate Nonformaldehyde Durable Press Finishing of Cotton Fabric: Quantitative Evaluation of Cellulose-Bound Glyoxal (*Schramm*) 357
Robert, K. Q. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Sawhney, Kimmel, Glynn, Jirsak, Mackova, Saunders*) 550
Roberts, William W. Jr. Modeling and Computer Simulation of the Compressional Behavior of Fiber Assemblies Part I: Comparison to van Wyk's Theory (*Beil*) 341
Part II: Hysteresis, Crimp, and Orientation Effects (*Beil*) 375
Rossettos, John N. Hybrid Effect at Fiber Breaks in Twisted Blended Yarns (*Godfrey*) 313
Rousselle, Marie-Alice Determining the Molecular Weight Distribution of Cotton Cellulose: A New GPC Solvent 131
Effect of Whole Cellulase on the Supramolecular Structure of Cotton Cellulose (*Bertoniere, Howley, Goynes*) 963
Rwei, Syang-Peng Fluid Simulation of the Airflow in Texturing Jets (*Pai*) 520

Saito, Hideki Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong*) 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Shirai, Morooka, Gong*) 735
Sakaguchi, Akio Effects of Pin Drafting on Irregularities of Sliver Made from Fine Denier Fibers (*Matsumoto, Toriumi*) 429
Novel Observation Technique for Contact Condition of Fabric (*Matsumoto, Toriumi, Kim*) 221
Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong*) ... 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Morooka, Gong*) 735
Sakurai, M. Restitution Characteristics of Yarns in the Axial Direction (*Bao, Takatera, Nakazawa, Shrohara*) 689
Saunders, T. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova*) 550
Sawhney, A. P. S. Compressional Behavior of Perpendicular-Laid Nonwovens Containing Cotton (*Parikh, Calamari, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders*) ... 550
Improved Chemical Retting of Kenaf Fibers (*Parikh, Calamari, Blanchard, Screen, Warnock, Muller, Stryjewski*) .. 618
Influence of Fiber Length Distribution on Strength Efficiency of Fibers in Yarn (*Zeidman*) 216
Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Calamari, Blanchard, Screen, Myatt, Muller, Stryjewski*) 668
Scharf, S. Three-Dimensional Flow Calculation in a Textile Dyeing Process (*Cleve, Bach, Schollmeyer, Naderwitz*) 783
Schiraldi, David A. A Combinatorial Method for Developing Deep Dye Polyesters (*Martin*) 153
Schmidt, Andreas Damage to Natural and Synthetic Fibers Treated in Supercritical Carbon Dioxide at 300 bar and Temperatures up to 160°C (*Bach, Schollmeyer*) 1023
Schneider, Reinhold Influence of Different Guar Thickeners on Interactions with Monoreactive Dyes and Cellulose Fibers (*Kokol, Turk*) 211
Schollmeyer, Eckhard Damage to Natural and Synthetic Fibers Treated in Supercritical Carbon Dioxide at 300 bar and Temperatures up to 160°C (*Schmidt, Bach*) 1023
Three-Dimensional Flow Calculation in a Textile Dyeing Process (*Scharf, Cleve, Bach, Naderwitz*) 783
Schramm, Christian Nonformaldehyde Durable Press Finishing of Cotton Fabric: Quantitative Evaluation of Cellulose-Bound Glyoxal (*Rinderer*) 357
Screen, F. J. Improved Chemical Retting of Kenaf Fibers (*Parikh, Calamari, Sawhney, Blanchard, Warnock, Muller, Stryjewski*) 618
Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Calamari, Sawhney, Blanchard, Myatt, Muller, Stryjewski*) 668
Sedcole, J. R. A New Model of DC Conductivity of Hygroscopic Solids Part II: Wool and Silk (*Christie, Woodhead, Krenek*) 303
Sekiguchi, Ayaka Deodorizing Properties of Cotton Fabrics Dyed with Direct Dyes and a Copper Salt (*Kobayashi, Nakanishi, Komiyama*) 1088
Seyam, Abdelfattah M. Meltblown Structures Formed by a Robotic and Meltblowing Integrated System: Impact of Process Parameters on Fiber Orientation and Diameter Distribution (*Farer, Ghosh, Grant, Batra*) 1033
Sharma, I. C. Optical Analysis of Classimat Faults (*Mukhopadhyay, Dasgupta*) 178
She, F. H. Intelligent Animal Fiber Classification with Artificial Neural Networks (*Kong, Nahavandi, Kouzani*) 594
Shimizu, Yoshiaki Dyeing Chitin/Cellulose Composite Fibers with an Acid Dye (*Nakajima, Yoshikawa, Takagishi*) ... 563
Absorption Behavior of Metal Ions on Chitin/Cellulose Composite Fibers with Chemical Modification by EDTA (*Izumi, Higashimura*) 515
Shimizu, Yoshio Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shirai, Matsumoto, Gong*) 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimatsu, Shirai, Morooka, Gong*) 735
Shintaku, Sukenori Polyester "Shingosen" Fabrics Characterized by Dynamic Drape Coefficient with Swinging Motion (*Matsudaira, Yang, Kinari*) 410
Shirai, Hirofusa Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Matsumoto, Gong*) 61
Dyeing Conventional and Microfiber Polyester with Disperse Dyes (*Uddin, Watanabe, Hirai*) 77
Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ohkawa, Ando, Shirakabe, Takahashi, Yamada, Yamamoto*) 120
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimatsu, Shimizu, Morooka, Gong*) 735
Shirakabe, Yoshiaki Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ohkawa, Ando, Takahashi, Yamada, Shirai, Yamamoto*) 120
Shrohara, A. Restitution Characteristics of Yarns in the Axial Direction (*Bao, Sakurai, Takatera, Nakazawa*) 689
Siu, L. Y. C. Comfort Sensations of Polo Shirts With and Without Wrinkle-Free Treatment (*Lau, Fan, Siu*) 949
Effects of Repeated Laundering on the Performance of Garments with Wrinkle-Free Treatment (*Lau, Fan, Siu*) ... 931
Siu, T. Comfort Sensations of Polo Shirts With and Without Wrinkle-Free Treatment (*Lau, Fan, Siu*) 949
Effects of Repeated Laundering on the Performance of Garments with Wrinkle-Free Treatment (*Lau, Fan, Siu*) ... 931
Slomczynski, David Retting Flax with Endopolygalacturonase from *Rhizopus oryzae* (*Akin, Rigsby, Eriksson*) 27
Ślusarczyk, Cz. SAXS Method for Evaluating Changes in the Supermolecular Structure of Wool Fibers Treated with Chemical Agents (*Pielesz, Włochowicz*) 308
Stryjewski, D. D. Improved Chemical Retting of Kenaf Fibers (*Parikh, Calamari, Sawhney, Blanchard, Screen, Warnock, Muller*) 618
Thermoformable Automotive Composites Containing Kenaf and Other Cellulosic Fibers (*Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Muller*) 668
Suh, Moon W. Sequential Chanelling of Mass Variances in Spun Yarn Manufacturing Processes (*Jeong*) 721
Sui, Kunyan Polymeric Fluorocarbon-Coated Polyester Substrates for Waterproof Breathable Fabrics (*Qi, Ma, Wang, Sun, Lu*) 93
Sun, Gang Functional Finishing of Acrylic and Cationic Dyeable Fabrics: Intermolecular Interactions (*Kim*) 1052
Sun, Xiquan Polymeric Fluorocarbon-Coated Polyester Substrates for Waterproof Breathable Fabrics (*Qi, Sui, Ma, Wang, Lu*) 93

Takagishi, Toru Dyeing Chitin/Cellulose Composite Fibers with an Acid Dye (*Shimizu, Nakajima, Yoshikawa*) 563
Takahashi, Masaoki Using Sodium Bisulfite as a Rinsing Auxiliary in Bleaching Cashmere (*Khishigsuren, Nakajima*) 51
Takahashi, Yae Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ohkawa, Ando, Shirakabe, Yamada, Shirai, Yamamoto*) 120
Takatera, M. Restitution Characteristics of Yarns in the Axial Direction (*Bao, Sakurai, Nakazawa, Shrohara*) 689

Takemura, H. Developing a Twist Draft Spinning System for Small-Scale Production of Special Material Yarns (*Nakazawa, Kawamura, Kobayashi*) 135
Tandon, S. K. Probability Fracture Mechanics of Wear in Wool Carpet Part I: Wear Model of Cut Pile Carpet (*Liu, Wood*) 954
Part II: Wear Model of Loop Pile Carpet (*Liu, Wood*) 958
Tang, Z. L. Analysis of Fluid Flow Through Fibrous Structures (*Zhong, Ding*) 751
Taylor, P. M. Low-Force Dynamic Lateral Compression of Fabrics (*Pollet*) 845
Static Low-Load Lateral Compression of Fabrics (*Pollet*) 983
Tayyar, A. E. Mouldability of Angle-Interlock Woven Fabrics for Technical Applications (*Chen, Lo, Day*) 195
Thibault, X. Structural Analysis by X-Ray Microtomography of a Strained Nonwoven Papermaker Felt (*Bloch*) 480
Tilocca, Antonio Detecting Fabric Defects with a Neural Network Using Two Kinds of Optical Patterns (*Borzone, Carosio, Durante*) 545
Tokarska, Magdalena Determining the Impact Permeability Index of Textiles (*Gniotek*) 170
Tokura, H. Effects of Clothing Material on Thermoregulatory Responses (*Zhang, Gong, Yanai*) 83
Tonin, Claudio Differentiating Fine Hairs from Wild and Domestic Species: Investigations of Shatoosh, Yangir, and Cashmere Fibers (*Bianchetto, Vineis, Bianchet*) 701
Toriumi, Koichiro Effects of Pin Drafting on Irregularities of Sliver Made from Fine Denier Fibers (*Sakaguchi, Matsumoto*) 429
Novel Observation Technique for Contact Condition of Fabric (*Sakaguchi, Matsumoto, Kim*) 221
Spinning Conditions and Characteristics of Open-End Rotor Spun Hybrid Yarns (*Pouresfandiari, Fushimi, Sakaguchi, Saito, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong*) .. 61
Twisting Mechanisms of Open-End Rotor Spun Hybrid Yarns (*Matsumoto, Fushimi, Saito, Sakaguchi, Nishimatsu, Shimizu, Shirai, Morooka, Gong*) 735
Treguier, G. Dynamic Heat and Water Transfer Through Layered Fabrics (*Fohr, Couton*) 1
Tsai, I. S. Particle Filtration with an Electret of Nonwoven Polypropylene Fabric (*Yang, Lin, Kuo*) 1099
Turk, Sonja Šostar Influence of Different Guar Thickeners on Interactions with Monoreactive Dyes and Cellulose Fibers (*Kokol, Schneider*) 211

Ucar, M. Objective and Subjective Analysis of Knitted Fabric Bagging (*Uçar, Realff, Radhakrishnaiah*) 977
Uçar, Nuray Grinning of ISO 514 Stitched Seams on Knitted Fabrics Under the Effects of Repeated Extension and Recovery 944
Predicting Circular Knitting Machine Parameters for Cotton Plain Fabrics Using Conventional and Neuro-Fuzzy Methods (*Ertugrul*) 361
Objective and Subjective Analysis of Knitted Fabric Bagging (*Realff, Radhakrishnaiah, Ucar*) 977
Uddin, Md. Zulhash Dyeing Conventional and Microfiber Polyester with Disperse Dyes (*Watanabe, Shirai, Hirai*) 77
Letter to the Editor (*Hirai*) 1104
Udomkichdecha, W. Relationships Between Fibrillation Behavior of Lyocell Fibers and Their Physical Properties (*Chiarakorn, Potiyaraj*) 939
Umbach, Karl Heinz Water Vapor Transport Through Protective Textiles at Low Temperatures (*Bartels*) 899

Van der Meeren, Paul Quantifying Wetting and Wicking Phenomena in Cotton Terry as Affected by Fabric Conditioner Treatment (*Cocquyt, Flores, Demeyere, Declercq*) . 423
Van Langenhove, Lieva Numerical Simulation of the Yarn-Object Interaction (*Hung, Degrieck, Kiekens*) 657
Verpoest, I. Experimental and Theoretical Characterization of the Geometry of Two-Dimensional Braided Fabrics (*Lomov, Parnas, Ghosh, Nakai*) 706
Vineis, Claudia Differentiating Fine Hairs from Wild and Domestic Species: Investigations of Shatoosh, Yangir, and Cashmere Fibers (*Tonin, Bianchetto, Bianchet*) 701
Virto, Luis Physical Analysis of the Compression of Filament Assemblies (*Carbonell, Naik*) 474
Vohra, S. Stretching and Slipping of Fibers in Isothermal Draw Processes (*Bechtel, Jacob*) 769

Wakida, Tomiji Liquid Ammonia Treatment of Nylon 6 Fabric (*Lee, Lee, Hayashi, Okada, Yanai*) 539
Wang, Chi-Hsian Scanning Force Microscopy Studies of the Surface Structure of Activated Carbon Fabric (*Huang, Wang*) 140
Wang, Dong Polymeric Fluorocarbon-Coated Polyester Substrates for Waterproof Breathable Fabrics (*Qi, Sui, Ma, Sun, Lu*) 93
Wang, Ing-Jing Scanning Force Microscopy Studies of the Surface Structure of Activated Carbon Fabric (*Huang, Wang*) 140
Wang, Jun Parameters of Rotor Spun Slub Yarn (*Huang*) 12
Wang, Xueqin Morphology Gradients in Thermally Point-Bonded Poly(ethylene Terephthalate) Nonwovens (*Michielsen*) 394
Wang, Xungai Mechanical Behavior of Irregular Fibers Part III: Flexural Buckling Behavior (*He*) 573
Wang, Y. Analysis of Energy Dissipation in Twisted Fiber Bundles Under Cyclic Tensile Loading (*Qiu, Laton, Mi*) ... 585
Wang, Z. Mathematical Simulation of the Perception of Fabric Thermal and Moisture Sensations (*Li, Kowk, Yeung*) ... 327
Warnock, M. Improved Chemical Retting of Kenaf Fibers (*Parikh, Calamari, Sawhney, Blanchard, Screen, Muller, Stryjewski*) 618
Watanabe, Masashi Dyeing Conventional and Microfiber Polyester with Disperse Dyes (*Uddin, Shirai, Hirai*) 77
Watson, M. D. Cotton Color Classification by Fuzzy Logic (*Xu, Dale, Huang*) 504
Wen, Che-Yen Textural Defect Segmentation Using a Fourier-Domain Maximum Likelihood Estimation Method (*Chiu, Chou, Liaw*) 253
Wilding, M. A. A Novel Stress-Freezing Technique for Studying the Compressional Behavior of Woven Fabrics (*Potluri, Memon*) 1073
Włochowicz, A. SAXS Method for Evaluating Changes in the Supermolecular Structure of Wool Fibers Treated with Chemical Agents (*Pielesz, Ślusarczyk*) 308
Wood, E. J. Probability Fracture Mechanics of Wear in Wool Carpet Part I: Wear Model of Cut Pile Carpet (*Liu, Tandon*) 954
Part II: Wear Model of Loop Pile Carpet (*Liu, Tandon*) .. 958
Woodhead, I. M. A New Model of DC Conductivity of Hygroscopic Solids Part I: Cellulosic Materials (*Christie*) 273
Part II: Wool and Silk (*Christie, Krenek, Sedcole*) 303
Wu, Qilin A New Cellulose Based Carbon Fiber from a Lyocell Precursor (*Pan*) 405
Wu, Shizhen Thermal Behavior of Polyarylate/Polyester Blend Fibers (*Xiao, Zhang*) 391

Xiao, Changfa Thermal Behavior of Polyarylate/Polyester Blend Fibers (*Zhang, Wu*) 391
Xin, Binjie Classifying Fleece Fabric Appearance by Extended Morphological Fractal Analysis (*Hu, Yan*) 879
Measuring and Modeling 3D Wrinkles in Fabrics (*Hu, Yan*) 863
Objective Evaluation of Fabric Pilling Using Image Analysis Techniques (*Hu, Yan*) 1057
Xing, Jianwei Analyzing the Dyeing Behavior and Chromaticity Characteristics of Polyester Microfibers (*Chen, Chen*) .. 367
Xu, B. Cotton Color Classification by Fuzzy Logic (*Dale, Huang, Watson*) 504
Image Analysis for Cotton Fibers Part I: Longitudinal Measurements (*Huang*) 713
Xu, J. F. Buckling Analysis of Woven Fabric Under Simple Shear Along Arbitrary Directions (*Zhang*) 147

Yamada, Masanori Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ohkawa, Ando, Shirakabe, Takahashi, Shirai, Yamamoto*) 120
Yamamoto, Hiroyuki Preparing Chitosan-Poly(acrylic Acid) Composite Fibers by Self-Assembly at an Aqueous Solution Interface (*Ohkawa, Ando, Shirakabe, Takahashi, Yamada, Shirai*) 120
Yan, Haojing Classifying Fleece Fabric Appearance by Extended Morphological Fractal Analysis (*Hu, Xin*) 879
Measuring and Modeling 3D Wrinkles in Fabrics (*Hu, Xin*) 863
Objective Evaluation of Fabric Pilling Using Image Analysis Techniques (*Hu, Xin*) 1057
Yanai, Yuichi Effects of Clothing Material on Thermoregulatory Responses (*Zhang, Gong, Tokura*) 83
Liquid Ammonia Treatment of Nylon 6 Fabric (*Lee, Lee, Wakida, Hayashi, Okada*) 539
Yang, Charles Q. Chemical Analysis of 1,2,3,4-Butanetetracarboxylic Acid (*Lu, Lickfield*) 817
Yang, Minzhang Polyester "Shingosen" Fabrics Characterized by Dynamic Drape Coefficient with Swinging Motion (*Matsudaira, Kinari, Shintaku*) 410
Yang, Z. Z. Particle Filtration with an Electret of Nonwoven Polypropylene Fabric (*Lin, Tsai, Kuo*) 1099
Yao, M. Evaluating and Predicting Fabric Bagging with Image Processing (*Yeung, Li, Zhang*) 693
Yao, Wei-Hua Dyeing Kinetics from a Finite Bath of Direct Dyes on DMDHEU-AA Crosslinked Cotton (*Chen, Chen, Chen*) 55
Yeung, C. Y. Mathematical Simulation of the Perception of Fabric Thermal and Moisture Sensations (*Wang, Li, Kowk*) . 327
Yeung, K. W. Effect of Mercerization on the Crosslinking of Ramie Fabric Using 1,2,3,4-Butanetetracarboxylic Acid: Physical Properties and Crosslink Distribution (*Zhou, Yuen, Zhou*) 795
Effect of NaOH Mercerization on the Crosslinking of Ramie Yarn Using 1,2,3,4-Butanetetracarboxylic Acid (*Zhou, Yuen*) 531
Evaluating and Predicting Fabric Bagging with Image Processing (*Li, Zhang, Yao*) 693
Influence of Thickness and Porosity on Coupled Heat and Liquid Moisture Transfer in Porous Textiles (*Li, Zhu*) .. 435
Numerical Simulation of 3D Dynamic Garment Pressure (*Zhang, Li*) 245
Relaxation Shrinkage Characteristics of Steam-Ironed Plain Knitted Wool Fabrics (*Chen, Au, Yuen*) 463
Yi, Eunjou A Fabric Sound Evaluation System for Totally Auditory-Sensible Textiles (*Cho, Na, Casali*) 638
Yoon, Hye-Shin Determining the Structural Parameters That Affect Overall Properties of Warp Knitted Fabrics Using Cluster Analysis (*Park*) 1013
Yoshikawa, Masatoshi Dyeing Chitin/Cellulose Composite Fibers with an Acid Dye (*Shimizu, Nakajima, Takagishi*) . 563
You, So Young Infrared Analysis of Aqueous Textile Processing Solutions Using a ZnSe Horizontal ATR Cell (*Choe, Lee*) 290
Yu, W. R. Changes in the Mechanical Properties of Chitosan-Treated Wool Fabric (*Jeong, Cha, Park*) 70
Yuen, C. W. M. Effect of Mercerization on the Crosslinking of Ramie Fabric Using 1,2,3,4-Butanetetracarboxylic Acid: Physical Properties and Crosslink Distribution (*Zhou, Yeung, Zhou*) 795
Effect of NaOH Mercerization on the Crosslinking of Ramie Yarn Using 1,2,3,4-Butanetetracarboxylic Acid (*Zhou, Yeung*) 531
Relaxation Shrinkage Characteristics of Steam-Ironed Plain Knitted Wool Fabrics (*Chen, Au, Yeung*) 463

Zeidman, Mishu Influence of Fiber Length Distribution on Strength Efficiency of Fibers in Yarn (*Sawhney*) 216
Zeronian, S. H. Aggregation of Direct Dyes Investigated by Molecular Modeling (*Inglesby, Elder*) 231
Zhang, Jianchun Differential-Twist Wrapped Yarns Made on a Hollow Spindle Spinning Machine (*Li, Li*) 181
Zhang, P. Effects of Clothing Material on Thermoregulatory Responses (*Gong, Yanai, Tokura*) 83
Zhang, X. Evaluating and Predicting Fabric Bagging with Image Processing (*Yeung, Li, Yao*) 693
Numerical Simulation of 3D Dynamic Garment Pressure (*Yeung, Li*) 245
Zhang, Yufeng Thermal Behavior of Polyarylate/Polyester Blend Fibers (*Xiao, Wu*) 391
Zhang, Y. T. Buckling Analysis of Woven Fabric Under Simple Shear Along Arbitrary Directions (*Xu*) 147
Zhong, W. Analysis of Fluid Flow Through Fibrous Structures (*Ding, Tang*) 751
Zhou, L. M. Effect of Mercerization on the Crosslinking of Ramie Fabric Using 1,2,3,4-Butanetetracarboxylic Acid: Physical Properties and Crosslink Distribution (*Yeung, Yuen, Zhou*) 795
Effect of NaOH Mercerization on the Crosslinking of Ramie Yarn Using 1,2,3,4-Butanetetracarboxylic Acid (*Yeung, Yuen*) 531
Zhou, X. Effect of Mercerization on the Crosslinking of Ramie Fabric Using 1,2,3,4-Butanetetracarboxylic Acid: Physical Properties and Crosslink Distribution (*Zhou, Yeung, Yuen*) 795
Zhu, Qingyong Influence of Thickness and Porosity on Coupled Heat and Liquid Moisture Transfer in Porous Textiles (*Li, Yeung*) 435
Zhu, Zhifeng Effects of Some Surfactants as Stabilizers to Reduce the Phase Separation Rates of Blended Pastes for Warp Sizing (*Li*) 206
Zhuang, Q. Transfer Wicking Mechanisms of Knitted Fabrics Used as Undergarments for Outdoor Activities (*Harlock, Brook*) 727
Žigon, Majda The Influence of Treatment Conditions on the Quantity and Composition of Oligomers Extracted from Polyester Fabric (*Recelj, Gorenšek*) 447
Zwier, E. Identifying Important Parameters for a Continuous Bioscouring Process (*Lenting, Nierstrasz*) 825

SUBJECT INDEX

Abrasion
fibrillation of lyocell fibers: relationship with physical properties *Udomkichdecha, Chiarakorn, Potiyaraj* 939
image analysis of fuzz and pills: fast, automatic, digital method *Jensen, Carstensen* 34
of polar fleece fabrics: extended morphological fractal analysis *Hu, Xin, Yan* 879
of weft knits: dimensional, pilling, and abrasion properties of knits from OE and ring spun yarns *Candan, Önal* ... 164

Acoustics
dye breakage by ultrasound: breakage characteristics of Disperse Red 60 *Lee, Chung, Kim* 663
fabric sound evaluation system: totally auditory-sensible textiles; wool suiting *Yi, Cho, Na, Casali* 638
sound characteristics of silk wovens: effects of basic weave differences and yarn type variations *Kim, Cho, Na* ... 555

Acrylics
antimicrobial fabrics: functional finishes for acrylic and cationic dyeable fabrics; intermolecular interactions *Kim, Sun* 1052

ladder-knit fancy yarns: factors influencing properties *Nergis* ... 686
optical analysis of Classimat faults: cross-sectional areas and diameter deviations of yarn faults with varying blends *Mukhopadhyay, Sharma, Dasgupta* ... 178
self-assembled composite fibers: chitosan-polyacrylic acid fibers at aqueous solution interface *Ohkawa, Ando, Shirakabe, Takahashi, Yamada, Shirai, Yamamoto* ... 120

Animal Fibers
bleaching cashmere: sodium bisulfite as a rinsing auxiliary *Khishigsuren, Nakajima, Takahashi* ... 51
mohair and merino wool: classification with neural networks and image analysis *She, Kong, Nahavandi, Kouzani* ... 594
opossum: surface morphology variations *Gore, Laing* ... 201
shatoosh, cashmere, yangir: differentiating fine hairs from wild and domestic species *Tonin, Bianchetto, Vineis, Bianchet* ... 701

Antimicrobial Fabrics
acrylic, polyester, Orlon: functional finishes for acrylic and cationic dyeable fabrics; intermolecular interactions *Kim, Sun* ... 1052
chitosan-treated wool fabrics: changes in mechanical properties *Jeong, Cha, Yu, Park* ... 70

Aromatics
polyarylate/polyester blend fibers: DSC thermal analysis *Xiao, Zhang, Wu* ... 391

Bagging
knit fabric bagging: objective and subjective analysis *Uçar, Realff, Radhakrishnaiah, Ucar* ... 977
predicting fabric bagging: image analysis and modeling *Yeung, Li, Zhang, Yao* ... 693

Ballistics
mouldable angle interlock wovens: technical applications for composites, body armor *Chen, Lo, Tayyar, Day* ... 195

Bast Fibers
chemical retting of flax: alkaline conditions; better control with chelators *Adamsen, Akin, Rigsby* ... 789
crosslinking of ramie yarns: effect of NaOH mercerization with BTCA *Zhou, Yeung, Yuen* ... 531
enzyme retting of flax: chelating agents for efficiency *Adamsen, Akin, Rigsby* ... 296
enzyme retting of flax: endopolygalacturonase from Rhizopus oryzae fungus *Akin, Slomczynski, Rigsby, Eriksson* ... 27
enzyme retting of flax: influence of components in retting formulations *Akin, Foulk, Dodd* ... 510
enzyme retting of flax: modifying dew-retted fibers with air-atomized enzyme treatment *Evans, Akin, Morrison, Himmelsbach, Foulk* ... 579
for automotive composites: thermoformable biodegradable cellulosics; kenaf and others *Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski* ... 668
improved chemical retting of kenaf: for biodegradable mouldable nonwoven automotive components *Parikh, Calamari, Sawhney, Blanchard, Screen, Warnock, Muller, Stryjewski* ... 618
mercerized ramie: effect on crosslinking with BTCA; physical properties and crosslink distribution *Zhou, Yeung, Yuen, Zhou* ... 795
molecular weight distribution of cellulose: new GPC solvent; cotton, rayon, tencel, linen, ramie, kenaf *Rousselle* 131

Bicomponent Fibers
compression of nonwovens: behavior of perpendicular-laid cotton and polyester fabrics *Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders* ... 550

Birefringence
fibrillation of lyocell fibers: relationship with physical properties *Udomkichdecha, Chiarakorn, Potiyaraj* ... 939
in thermally point-bonded polyester: morphology gradients *Wang, Michielsen* ... 394

Bleaching
of cashmere: sodium bisulfite as a rinsing auxiliary *Khishigsuren, Nakajima, Takahashi* ... 51

Bonding
point-bonded nonwovens: effect of bonding temperature on load-deformation structural changes *Kim, Pourdeyhimi, Abhiraman, Desai* ... 645

Braiding
two-dimensional braided fabrics: experimental and theoretical characteristics of geometry *Lomov, Parnas, Ghosh, Verpoest, Nakai* ... 706

Buckling
flexural buckling of irregular fibers: impact on fabric-evoked prickle *He, Wang* ... 573
woven fabric analysis: under simple shear along arbitrary directions *Zhang, Xu* ... 147

Carbon Fibers
cellulose based: lyocell precursor *Wu, Pan* ... 405
surface structure of: SFM study of activated carbon fabric *Huang, Wang, Wang* ... 140

Carding
seed coat fragments: consequences of carding and impact of attached fibers *Krifa, Frydrych, Goze* ... 259
whole roller carding system: model reduction and controller design *Kuo, Hsieh* ... 98

Carpets
flame-resistant cotton/polyester carpeting: polycarboxylic acids for flame resistance *Blanchard, Graves* ... 39
improved drying: increased air permeability of tufted carpets with two different backings *Lee, Carr, LaRoche* ... 681
nylon carpet grading: subjective method by quad analysis of paired comparisons *Miller* ... 1041
single filament crimp in carpets: manipulating fiber structure to stabilize geometry in fibers and yarns *Miller* ... 601
wool carpet wear: probability fracture mechanics; wear model of cut pile carpet *Liu, Tandon, Wood* ... 954
wool carpet wear: probability fracture mechanics; wear model of loop pile carpet *Liu, Tandon, Wood* ... 958

Cashmere
bleaching of: sodium bisulfite as a rinsing auxiliary *Khishigsuren, Nakajima, Takahashi* ... 51
shatoosh, cashmere, yangir: differentiating fine hairs from wild and domestic species *Tonin, Bianchetto, Vineis, Bianchet* ... 701

Catalysis
for nonformaldehyde DP cotton finishing: evaluation of cellulose-bound glyoxal *Schramm, Rinderer* ... 357

Cellulosics
cellulose based carbon fiber: lyocell precursor *Wu, Pan* ... 405
chitin/cellulose composite fibers: chemical properties of Crabyon; acid dye *Shimizu, Nakajima, Yoshikawa, Takagishi* ... 563
chitin/cellulose composite fibers: sorption behavior of metal ions on fibers modified by EDTA *Izumi, Shimizu, Higashimura* ... 515
fibrillation of lyocell fibers: relationship with physical properties *Udomkichdecha, Chiarakorn, Potiyaraj* ... 939
for automotive composites: thermoformable biodegradable cellulosics; kenaf *Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski* ... 668
lyocell fibers: physical properties; spun from isotropic cellulose dope *Chae, Chae, Kim, Oh, Jo, Lee* ... 335
printing rayon fabrics: influence of guar thickeners on interactions with dyes *Kokol, Turk, Schneider* ... 211
SFM and STM study of carbon fabric: surface structure of activated carbon fabric *Huang, Wang, Wang* ... 140
stain tests for: testing blend ratio of polyester/cellulose nonwovens *Lai* ... 499

Chitin
chitin/cellulose composite fibers: chemical properties of Crabyon; acid dye *Shimizu, Nakajima, Yoshikawa, Takagishi* 563
chitin/cellulose composite fibers: sorption behavior of metal ions on fibers modified by EDTA *Izumi, Shimizu, Higashimura* 515
Chromaticity
of dyed polyester microfibers: analyzing dyeing behavior and chromaticity characteristics *Chen, Chen, Xing* ... 367
Clothing
3D dynamic garment pressure: numerical simulation *Zhang, Yeung, Li* 245
dynamic heat and water transfer through: layered clothing systems *Fohr, Couton, Treguier* 1
Clothing Systems
effects of material on comfort: thermoregulatory responses *Zhang, Gong, Yanai, Tokura* 83
Clothing, Protective
water vapor transport through: low temperature breathability study *Bartels, Umbach* 899
Cluster Analysis
of polyester warp knits: structural parameters that affect overall properties *Yoon, Park* 1013
Combinatorial Chemistry
deep dye polyesters: combinatorial method for developing *Schiraldi, Martin* 153
Comfort
cotton polo shirts: comfort sensations with and without DP treatment *Lau, Fan, Siu, Siu* 949
effects of clothing material on comfort: thermoregulatory responses *Zhang, Gong, Yanai, Tokura* 83
of layered clothing systems: dynamic heat and water transfer *Fohr, Couton, Treguier* 1
of wrinkle-free treated knits: effects of repeated washing on garment performance *Lau, Fan, Siu, Siu* 931
surface contact between skin and fabric: novel observation technique with transparent silicone rubber *Sakaguchi, Matsumoto, Toriumi, Kim* 221
water vapor transport through clothing: low temperature breathablility study *Bartels, Umbach* 899
wicking of undergarment knits: transfer wicking mechanisms of outdoor fabrics *Zhuang, Harlock, Brook* 727
Composites
chitin/cellulose composite fibers: chemical properties of Crabyon; acid dye *Shimizu, Nakajima, Yoshikawa, Takagishi* 563
chitin/cellulose composite fibers: sorption behavior of metal ions on fibers modified by EDTA *Izumi, Shimizu, Higashimura* 515
knits for composite reinforcement: load extension properties of plain weft knits made from high performance yarns *Hong, de Araújo, Fangueiro, Ciobanu* 991
self-assembled composite fibers: chitosan-polyacrylic acid fibers at aqueous solution interface *Ohkawa, Ando, Shirakabe, Takahashi, Yamada, Shirai, Yamamoto* 120
Compression
behavior of fiber assemblies: computer simulation; comparison to van Wyk's theory *Beil, Roberts* 341
behavior of fiber assemblies: hysteresis, crimp, orientation effects *Beil, Roberts* 375
behavior of woven fabrics: novel stress-freezing technique *Potluri, Wilding, Memon* 1073
dynamic lateral fabric compression: low force compression of fabric panels *Taylor, Pollet* 845
fabric compressional behavior: online characterization model *Huang, Ghosh* 103
nondestructive measurements: portable tester for fabrics *Fan, Gardiner, Hunter* 21
of cotton-containing nonwovens: behavior of perpendicular-laid fabrics; also polyester, bicomponent fibers *Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders* 550
of filament assemblies: physical analysis of porosity and pressure *Virto, Carbonell, Naik* 474
static low-load lateral compression: cotton, wool, polyester, acrylic fabrics *Taylor, Pollet* 983
Computer Techniques
CAD model of warp knits: 3D solid modeling and visual simulation *Göktepe, Harlock* 266
constrained yarn dynamic modeling: for fabric simulation *Ngoc, Bruniaux, Castelain* 1002
cotton color classification: fuzzy logic for color grading *Xu, Dale, Huang, Watson* 504
dynamic lateral fabric compression: low force compression of fabric panels *Taylor, Pollet* 845
fabric compressional behavior: fabric compressional behavior: *Huang, Ghosh* 103
fiber orientation in nonwovens: image analysis; Hough transform for off-line measurements *Pourdeyhimi, Kim* 803
flexural buckling of irregular fibers: impact on fabric-evoked prickle; finite element model *He, Wang* 573
for detecting fabric defects: detecting with neural network using two optical patterns *Tilocca, Borzone, Carosio, Durante* 545
for modeling a whole roller carding system: model reduction and controller design *Kuo, Hsieh* 98
for nonwoven web uniformity study: area-based strategy for determining *Pourdeyhimi, Kohel* 1065
for textural defect segmentation: Fourier-domain maximum likelihood estimation method *Chiu, Chou, Liaw, Wen* ... 253
for two-dimensional braided fabrics: experimental and theoretical characteristics of geometry *Lomov, Parnas, Ghosh, Verpoest, Nakai* 706
geometric modeling of fabric surfaces: cyber replica for fabric property grading *Kang, Cho, Kim* 44
predicting fabric bagging: image processing and modeling *Yeung, Li, Zhang, Yao* 693
simulating airflow in texturing jets: fluid simulation *Rwei, Pai* 520
simulation of compressional behavior: hysteresis, crimp, orientation effects in fiber assemblies *Beil, Roberts* .. 375
simulation of compressional behavior: model of fiber assemblies; comparison to van Wyk's theory *Beil, Roberts* 341
textile yarn grading: feature selection method using effective distance between clusters *Lien, Lee* 870
to determine macroporosity of woven cottons: using genetic programming to predict *Dubrovski, Brezocnik* .. 187
to evaluate cotton properties: microscopy system of longitudinal measurements *Huang, Xu* 713
to evaluate cotton trash and color: objective evaluation by image processing and neural network *Kang, Kim* 776
to study historic wool flags: digital image analysis of modern and historic fabrics *Cardamone, Damert, Phillips, Marmer* 906
to study small repeat weave sizes: color and weave effects of two-color yarn sequences *Dawson* 854
weaving density of woven fabrics: co-occurrence matrix for automatic inspection *Lin* 486
wrinkling of cotton fabrics: evaluating with image analysis and neural networks *Mori, Komiyama* 417
yarn mass density profiles: sequential channeling of mass variances in manufacturing *Jeong, Suh* 721
Contaminants
cotton stickiness: thermomechanical degradation of saccharides *Gamble* 174
in raw cotton: objective evaluation by image processing and neural network *Kang, Kim* 776
predicting nep number in cotton yarns: critical nep size *Frydrych, Matusiak* 917
seed coat fragments: consequences of carding and impact of attached fibers *Krifa, Frydrych, Gozé* 259

Cotton Fabrics
3D dynamic garment pressure: numerical simulation *Zhang, Yeung, Li* ... 245
BTCA chemical analysis: comparison of industrial and reagent grade products *Yang, Lu, Lickfield* ... 817
circular knitting machine parameters: predicting with conventional and neuro-fuzzy methods *Uçar, Ertugrul* ... 361
conditioned cotton terry: wetting and wicking phenomena as affected by conditioner *Van der Meeren, Cocquyt, Flores, Demeyere, Declercq* ... 423
continuous bioscouring process: minimizing required enzyme incubation time; cuticle removal *Lenting, Zwier, Nierstrasz* ... 825
cotton-containing nonwovens: behavior of perpendicular-laid fabrics; also polyester, bicomponent fibers *Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders* ... 550
coupled heat transfer and moisture diffusion: influence of thickness and porosity of textiles *Li, Zhu, Yeung* ... 435
DC conductivity of: quantitative theory of hygroscopic solids *Christie, Woodhead* ... 273
deodorizing cottons: mordant dyed with direct dyes and copper salt *Kobayashi, Sekiguchi, Nakanishi, Komiyama* 1088
dyeing kinetics of crosslinked cotton: finite bath of direct dyes *Chen, Yao, Chen, Chen* ... 55
dyeing with disperse dyes: reactive dyes on cotton in supercritical carbon dioxide *Maeda, Hongyou, Kunitou, Mishima* ... 240
fabric pilling in wet and dry states: polyester, rayon, cotton, stretch fabrics; tester sensitivity *Göktepe* ... 625
fabric thermal and moisture sensations: mathematical simulation of perceptions; also nylon, Dacron, Orlon *Wang, Li, Kowk, Yeung* ... 327
fiber length distribution: influence on strength efficiency of fibers in yarns *Zeidman, Sawhney* ... 216
fluff formation in knits: friction of cotton yarn on circular knitting machines *Koo, Kim* ... 17
fluorinated resin coated: washing durability; AFM, XPS, LFMA spectroscopy study *Juhué, Gayon, Corpart, Quet, Delichère, Charret, David, Cavaillé, Perriat* ... 832
impact permeability of textiles: behavior in stable and variable through airflows *Gniotek, Tokarska* ... 170
improved dimensional stability: cotton and rayon knits and wovens *Cortez, Ellis, Bishop* ... 673
knitted polo shirts: comfort sensations with and without DP treatment *Lau, Fan, Siu, Siu* ... 949
macroporosity of woven cottons: using genetic programming to predict *Dubrovski, Brezocnik* ... 187
nonformaldehyde DP cotton finish: evaluation of cellulose-bound glyoxal *Schramm, Rinderer* ... 357
one-bath dyeing and finishing: DP finishing and reactive dyeing *Choi* ... 469
static low-load lateral compression: cotton, wool, polyester, acrylic fabrics *Taylor, Pollet* ... 983
stone washed with enzymes: effect of whole cellulase on supramolecular structure *Rousselle, Bertoniere, Howley, Goynes* ... 963
weft knits: dimensional, pilling, and abrasion properties of knits from OE and ring spun yarns *Candan, Önal* ... 164
wrinkling of: evaluating with image analysis and neural networks *Mori, Komiyama* ... 417
Cotton Fibers
dyed in supercritical carbon dioxide: damage at 300 bar and high temperatures *Schmidt, Bach, Schollmeyer* ... 1023
evenness and imperfection data: comparison of capacitance and optical methods *Price, Calamari, Meredith* ... 810
fiber-on-fiber friction: energy dissipation in twisted fiber bundles under cyclic tensile loading *Qiu, Wang, Laton, Mi* ... 585
flame-resistant cotton/polyester carpeting: polycarboxylic acids for flame resistance *Blanchard, Graves* ... 39
JetRing spinning of cotton and polyester: influence on hairiness *Cheng, Li* ... 1079
measuring fiber fineness: permeability-to-air method for cotton fibers *Dupont, LeJarre* ... 227
mircroscopy system to evaluate properties: image analysis of longitudinal measurements *Huang, Xu* ... 713
molecular weight distribution of cellulose: new GPC solvent; cotton, rayon, tencel, linen, ramie, kenaf *Rousselle* 131
open-end rotor spun hybrid yarns: spinning conditions and characteristics of cotton and bicomponent yarns *Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong* ... 61
predicting nep number in yarns: critical nep size *Frydrych, Matusiak* ... 917
rotor spun cotton/poly fibers: effect of fiber cross section *Alston, Hansen, Duncan* ... 352
rotor spun hybrid yarns: twisting mechanisms in spinning OE cotton and polyester *Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimastu, Shimizu, Shirai, Morooka, Gong* ... 735
seed coat fragments: consequences of carding and impact of attached fibers *Krifa, Frydrych, Gozé* ... 259
single fiber properties: low, ideal, and high micronaire values *Foulk, McAlister* ... 885
stitched seam grinning: knits subjected to repeated extension and recovery *Uçar* ... 944
tensile drawing of rotor spun yarns: improved handle, drape, pilling propensity, dimensional stability, appearance *Hu, Jiang, Postle* ... 763
tensile drawing of rotor spun yarns: processing variables and property changes *Hu, Jiang* ... 741
weaving yarn-object interactions: numerical simulation; tensioning and drop-off *Hung, Degrieck, Van Langenhove, Kiekens* ... 657
Cotton, Raw
color classification of: fuzzy logic for color grading *Xu, Dale, Huang, Watson* ... 504
cotton stickiness: thermomechanical degradation of saccharides *Gamble* ... 174
cotton wax content: relationship with yarn properties *Price, Cui, Calamari, Meredith* ... 631
trash and color of: objective evaluation by image processing and neural network *Kang, Kim* ... 776
wax content: relationship with fiber and yarn properties *Cui, Price, Calamari, Hemstreet, Meredith* ... 399
Crimp
behavior of fiber assemblies: hysteresis, crimp, orientation effects *Beil, Roberts* ... 375
cotton single fiber properties: low, ideal, and high micronaire values *Foulk, McAlister* ... 885
single filament crimp in carpets: manipulating fiber structure to stabilize geometry in fibers and yarns *Miller* ... 601
Crosslinking
dyeing kinetics of crosslinked cotton: finite bath of direct dyes *Chen, Yao, Chen, Chen* ... 55
of mercerized ramie: effect on crosslinking with BTCA; physical properties and crosslink distribution *Zhou, Yeung, Yuen, Zhou* ... 795
of ramie yarn: effect of NaOH mercerization with BTCA *Zhou, Yeung, Yuen* ... 531
Crystallinity
of cellulose based carbon fiber: lyocell precursor *Wu, Pan* 405
Cuticle
cotton cuticle removal by bioscouring: minimizing required enzyme incubation time *Lenting, Zwier, Nierstrasz* ... 825

Damping
dynamic lateral fabric compression: low force compression of fabric panels *Taylor, Pollet* ... 845
Decatizing
chitosan-treated wool fabrics: changes in mechanical properties *Jeong, Cha, Yu, Park* ... 70

Deformation
of point-bonded nonwovens: effect of bonding temperature on load-deformation structural changes *Kim, Pourdeyhimi, Abhiraman, Desai* 645
of woven fabrics in various directions: shear hysteresis; polar diagrams *Lo, Hu* 383
Deodorizing Fabrics
chitosan-treated wool fabrics: changes in mechanical properties *Jeong, Cha, Yu, Park* 70
dyed wool fabrics: acid mordant dyes and copper salt *Kobayashi, Nakanishi, Komiyama* 125
mordant dyed cotton: direct dyes and copper salt *Kobayashi, Sekiguchi, Nakanishi, Komiyama* 1088
Drafting
fine denier polyester sliver: effects of pin drafting on irregularities *Sakaguchi, Matsumoto, Toriumi* 429
twist draft spinning system: small-scale production of special material yarns *Takemura, Nakazawa, Kawamura, Kobayashi* 135
Drape
fabric drape profile: predicting drape profiles with polar coordinates *Lo, Hu, Li* 454
of polyester Shingosen fabrics: dynamic drape coefficient with swinging motion *Matsudaira, Yang, Kinari, Shintaku* 410
of tensile drawn rotor spun yarn fabrics: improved handle, drape, pilling propensity, dimensional stability, appearance *Hu, Jiang, Postle* 763
woven fabric analysis: under simple shear along arbitrary directions *Zhang, Xu* 147
Drawing
stretch and slipping during: isothermal draw process model *Bechtel, Vohra, Jacob* 769
tensile drawing of rotor spun cotton: improved handle, drape, pilling propensity, dimensional stability, appearance *Hu, Jiang, Postle* 763
tensile drawing of rotor spun cotton: processing variables and property changes *Hu, Jiang* 741
Drawtexturing
in nylon carpet grading: subjective method by quad analysis of paired comparisons *Miller* 1041
Durable Press
BTCA chemical analysis: comparison of industrial and reagent grade products on cotton *Yang, Lu, Lickfield* ... 817
nonformaldehyde DP cotton finish: evaluation of cellulose-bound glyoxal *Schramm, Rinderer* 357
one-bath cotton dyeing and finishing: DP finishing and reactive dyeing *Choi* 469
wrinkle-free treated knits: effects of repeated washing on garment performance *Lau, Fan, Siu, Siu* 931
Dyeing
3D flow calculation: computational fluid dynamics simulation softwear *Scharf, Cleve, Bach, Schollmeyer, Naderwitz* 783
chitin/cellulose composite fibers: chemical properties of Crabyon; acid dye *Shimizu, Nakajima, Yoshikawa, Takagishi* 563
conventional and microfiber polyester: disperse dyes; light- and washfastness *Uddin, Watanabe, Shirai, Hirai* 77
deep dye polyesters: combinatorial method for developing *Schiraldi, Martin* 153
deodorizing wool fabrics: acid mordant dyed with copper salt *Kobayashi, Nakanishi, Komiyama* 125
of ammonia treated nylon: improved hand and dyeing properties *Lee, Lee, Wakida, Hayashi, Okada, Yanai* 539
of crosslinked cotton: dyeing kinetics from a finite bath of direct dyes *Chen, Yao, Chen, Chen* 55
of oligomer-extracted polyester: influence of treatment conditions on oligomer quantity, composition *Recelj, Gorenšek, Žigon* 447
one-bath cotton dyeing and finishing: DP finishing and reactive dyeing *Choi* 469
polyester microfibers: analyzing dyeing behavior and chromaticity characteristics *Chen, Chen, Xing* 367
printing rayon fabrics: influence of guar thickeners on interactions with dyes *Kokol, Turk, Schneider* 211
thin flat nylon film: determining diffusion and mass transfer coefficients *McFarland, Carr, Michielsen* 756
Dyes
analyzing water-based processing solutions: ZnSe horizontal ATR cell; indigo dye solution *Choe, You, Lee* 290
breakage characteristics: Disperse Red 60 under ultrasound *Lee, Chung, Kim* 663
dyeing cellulose fibers: reactive disperse dyes in supercritical carbon dioxide *Maeda, Hongyou, Kunitou, Mishima* .. 240
dyeing wool with fungal acid dyes: dermorubin and chlorodermorubin natural anthraquinone carboxylic acid dyes *Räisänen, Nousiainen, Hynninen* 973
molecular modeling of: aggregation of direct dyes *Inglesby, Zeronian, Elder* 231
stain tests for nonwovens: testing blend ratio of polyester/cellulose nonwovens *Lai* 499
to produce deodorizing cottons: mordant dyed with direct dyes and copper salt *Kobayashi, Sekiguchi, Nakanishi, Komiyama* 1088

Elasticity
of knits for composite reinforcement: load extension properties of plain weft knits made from high performance yarns *Hong, de Araújo, Fangueiro, Ciobanu* 991
Electrical Conductivity
DC conductivity of cotton and rayon: quantitative theory of hygroscopic solids *Christie, Woodhead* 273
DC conductivity of hygroscopic solids: new model for wool and silk *Christie, Woodhead, Krenek, Sedcole* 303
Electrostatics
particle filtration by nonwoven: electret of nonwoven polypropylene fabric *Yang, Lin, Tsai, Kuo* 1099
Environmental Impacts
analyzing water-based processing solutions: indigo dye and wastewater caustification solutions *Choe, You, Lee* ... 290
dyeing with disperse dyes: reactive dyes on cotton in supercritical carbon dioxide *Maeda, Hongyou, Kunitou, Mishima* 240
dyeing wool with fungal acid dyes: dermorubin and chlorodermorubin natural anthraquinone carboxylic acid dyes *Räisänen, Nousiainen, Hynninen* 973
lyocell fibers: physical properties; spun from isotropic cellulose dope *Chae, Chae, Kim, Oh, Jo, Lee* 335
of kenaf chemical retting: biodegradable mouldable nonwoven automotive components *Parikh, Calamari, Sawhney, Blanchard, Screen, Warnock, Muller, Stryjewski* .. 618
thermoformable biodegradable cellulosics for automotive composites; kenaf and other cellulosics *Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski* 668
Enzymes
continuous bioscouring process for cotton: minimizing required enzyme incubation time; cuticle removal *Lenting, Zwier, Nierstrasz* 825
enzyme retting of flax: modifying dew-retted fibers with air-atomized enzyme treatment *Evans, Akin, Morrison, Himmelsbach, Foulk* 579
for retting flax: chelating agents for efficiency *Adamsen, Akin, Rigsby* 296
for retting flax: endopolygalacturonase from Rhizopus oryzae fungus *Akin, Slomczynski, Rigsby, Eriksson* ... 27
for stone washing cellulosics: effect of whole cellulase on supramolecular structure *Rousselle, Bertoniere, Howley, Goynes* 963

retting of flax: influence of components in retting formulations *Akin, Foulk, Dodd* 510
to improve cellulosics: dimensional stability of cotton and rayon knits *Cortez, Ellis, Bishop* 673

Fabric Compression
online characterization: fabric compressional behavior *Huang, Ghosh* 103
Fabric Conservation
historic American flags: digital image analysis of modern and historic fabrics *Cardamone, Damert, Phillips, Marmer* 906
Fabric Defects
image analysis of: detecting with neural network using two optical patterns *Tilocca, Borzone, Carosio, Durante* .. 545
textural defect segmentation: Fourier-domain maximum likelihood estimation method *Chiu, Chou, Liaw, Wen* 253
Fabric Deformation
woven fabric analysis: under simple shear along arbitrary directions *Zhang, Xu* 147
Fabric Properties
nondestructive measurements: portable tester *Fan, Gardiner, Hunter* 21
Fabrics, Specialty
mouldable angle interlock wovens: technical applications for composites, body armor *Chen, Lo, Tayyar, Day* .. 195
Felt
nonwoven papermaker felt: structural analysis by x-ray microtomography *Thibault, Bloch* 480
Fiber Assemblies
compression of filament assemblies: physical analysis of porosity and pressure *Virto, Carbonell, Naik* 474
compressional behavior of: hysteresis, crimp, orientation effects *Beil, Roberts* 375
compressional behavior of: model and computer simulation; comparison to van Wyk's theory *Beil, Roberts* 341
fluid flow through: two dimensional Ising's model for in-plane flow *Zhong, Ding, Tang* 751
Fiber Deformation
twisted blended yarns: hybrid effect at fiber breaks *Rossettos, Godfrey* 313
Fiber Fineness
measuring with Sheffield apparatus: permeability-to-air method for cotton fibers *Dupont, LeJarre* 227
Fiber Length
cotton fiber length distribution: influence on strength efficiency of fibers in yarns *Zeidman, Sawhney* 216
Fiber Morphology
SEM study of opossum fibers: surface morphology variations *Gore, Laing* 201
Fiber Structure
shatoosh, cashmere, yangir: differentiating fine hairs from wild and domestic species *Tonin, Bianchetto, Vineis, Bianchet* 701
Films
dyeing thin flat nylon film: determining diffusion and mass transfer coefficients *McFarland, Carr, Michielsen* ... 756
isothermal drawing: stretching and slipping model *Bechtel, Vohra, Jacob* 769
Filtration
particle filtration by nonwoven: electret of nonwoven polypropylene fabric *Yang, Lin, Tsai, Kuo* 1099
Flameproofing
of cotton/polyester carpeting: polycarboxylic acids for flame resistance *Blanchard, Graves* 39
Flax
chemical retting: alkaline conditions; better control with chelators *Adamsen, Akin, Rigsby* 789
enzyme retting of: influence of components in retting formulations *Akin, Foulk, Dodd* 510
enzyme retting: chelating agents for efficiency *Adamsen, Akin, Rigsby* 296
enzyme retting: endopolygalacturonase from Rhizopus oryzae fungus *Akin, Slomczynski, Rigsby, Eriksson* ... 27
enzyme retting: modifying dew-retted fibers with air-atomized enzyme treatment *Evans, Akin, Morrison, Himmelsbach, Foulk* 579
Fluid Flow
3D flow calculation for dyeing: computational fluid dynamics simulation softwear *Scharf, Cleve, Bach, Schollmeyer, Naderwitz* 783
through fibrous structures: two dimensional Ising's model for in-plane flow *Zhong, Ding, Tang* 751
Fractals
for classifying fleece fabrics: extended morphological fractal analysis *Hu, Xin, Yan* 879
for textural defect segmentation: Fourier-domain maximum likelihood estimation method *Chiu, Chou, Liaw, Wen* .. 253
geometric modeling of fabric surfaces: cyber replica for fabric property grading *Kang, Cho, Kim* 44
Fracture Mechanics
wool carpet wear: wear model of cut pile carpet *Liu, Tandon, Wood* 954
wool carpet wear: wear model of loop pile carpet *Liu, Tandon, Wood* 958
Friction
fiber-on-fiber friction: energy dissipation in twisted fiber bundles under cyclic tensile loading *Qiu, Wang, Laton, Mi* 585
fluff formation in knits: friction of cotton yarn on circular knitting machines *Koo, Kim* 17
in fluid flow through fibrous structures: two dimensional Ising's model for in-plane flow *Zhong, Ding, Tang* .. 751
ring, rotor, friction spun yarns: analyzing structural and physical properties *Huh, Kim, Oxenham* 156
Fungi
dyeing wool with fungal acid dyes: dermorubin and chlorodermorubin natural anthraquinone carboxylic acid dyes *Räisänen, Nousiainen, Hynninen* 973
for retting flax: endopolygalacturonase from Rhizopus oryzae fungus *Akin, Slomczynski, Rigsby, Eriksson* ... 27
Fuzzy Logic
circular knitting machine parameters: predicting with conventional and neuro-fuzzy methods *Uçar, Ertugrul* ... 361
cotton color classification: color grading *Xu, Dale, Huang, Watson* 504
hand of single knitted wools: total hand of lincLITE and conventional wool knits *Park, Hwang* 924

Geometry
compression of woven fabrics: novel stress-freezing technique *Potluri, Wilding, Memon* 1073
geometric modeling of fabric surfaces: cyber replica for fabric property grading *Kang, Cho, Kim* 44
molecular modeling of dyes: aggregation of direct dyes *Inglesby, Zeronian, Elder* 231
mouldable angle interlock wovens: technical applications for composites, body armor *Chen, Lo, Tayyar, Day* .. 195
of airflow texturing jets: fluid simulation *Rwei, Pai* 520
of fabric drape: predicting drape profiles with polar coordinates *Lo, Hu, Li* 454
of two-dimensional braided fabrics: experimental and theoretical characteristics of geometry *Lomov, Parnas, Ghosh, Verpoest, Nakai* 706
single filament crimp in carpets: manipulating fiber structure to stabilize geometry in fibers and yarns *Miller* .. 601
yarn restitution characteristics: axial direction *Bao, Sakurai, Takatera, Nakazawa, Shrohara* 689
Glass Fibers
multilayered, needlepunched nonwovens: air permeability of fabrics; experimental versus theoretical results *Mohammadi, Banks-Lee* 613
two-dimensional braided fabrics: experimental and theoretical characteristics of geometry *Lomov, Parnas, Ghosh, Verpoest, Nakai* 706

Hairiness
of JetRing spun cotton and polyester: influence of spinning method *Cheng, Li* ... 1079
of ring, rotor, friction spun yarns: analyzing structural and physical properties *Huh, Kim, Oxenham* ... 156
Handle
of liquid ammonia treated nylon: improved hand and dyeing properties *Lee, Lee, Wakida, Hayashi, Okada, Yanai* 539
of polyester warp knits: cluster analysis of structural parameters that affect overall properties *Yoon, Park* ... 1013
of rotor spun yarn fabrics: improved handle, drape, pilling propensity, dimensional stability, appearance *Hu, Jiang, Postle* ... 763
of single knitted wool fabrics: total hand of lincLITE and conventional wool knits *Park, Hwang* ... 924
of tensile drawn rotor spun yarns: processing variables and property changes *Hu, Jiang* ... 741
Heat Phenomenon
phase change materials on polyester: thermal storage/release, durability, and temperature sensing properties *Kim, Cho* ... 1093
Heat Transfer
effects of clothing material on comfort: thermoregulatory responses *Zhang, Gong, Yanai, Tokura* ... 83
in porous textiles: coupled heat and moisture diffusion; influence of thickness, porosity *Li, Zhu, Yeung* ... 435
through layered fabrics: dynamic heat and water transfer through clothing systems *Fohr, Couton, Treguier* ... 1
Honeydew
cotton stickiness: thermomechanical degradation of saccharides *Gamble* ... 174
Hysteresis
shear: of woven fabrics in various directions; polar diagrams *Lo, Hu* ... 383

Image Analysis
3D fabric wrinkles: measuring and modeling with photometric stereo and image analysis methods *Hu, Xin, Yan* .. 863
fabric defects: detecting with neural network using two optical patterns *Tilocca, Borzone, Carosio, Durante* ... 545
fiber orientation in nonwovens: Hough transform for offline measurements *Pourdeyhimi, Kim* ... 803
for classifying fleece fabrics: extended morphological fractal analysis *Hu, Xin, Yan* ... 879
for fabric assessment: digital image analysis of modern and historic fabrics *Cardamone, Damert, Phillips, Marmer* ... 906
nonwoven web uniformity: area-based strategy for determining *Pourdeyhimi, Kohel* ... 1065
of fuzz and pills: fast, automatic, digital method *Jensen, Carstensen* ... 34
of mohair and merino wool: classification with neural networks *She, Kong, Nahavandi, Kouzani* ... 594
pilling template for wool fabrics: objective evaluation model *Hu, Xin, Yan* ... 1057
point-bonded nonwovens: effect of bonding temperature on load-deformation structural changes *Kim, Pourdeyhimi, Abhiraman, Desai* ... 645
predicting fabric bagging: image processing and modeling *Yeung, Li, Zhang, Yao* ... 693
seed coat fragments: consequences of carding and impact of attached fibers *Krifa, Frydrych, Gozé* ... 259
to evaluate cotton properties: microscopy system of longitudinal measurements *Huang, Xu* ... 713
to evaluate cotton trash and color: objective evaluation by image processing and neural network *Kang, Kim* ... 776
weaving density of woven fabrics: co-occurrence matrix for automatic inspection *Lin* ... 486
wrinkling of cotton fabrics: evaluating with image analysis and neural networks *Mori, Komiyama* ... 417
Infrared
analyzing water-based processing solutions: ZnSe horizontal ATR cell *Choe, You, Lee* ... 290
Kenaf
for automotive composites: thermoformable biodegradable cellulosics *Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski* ... 668
improved chemical retting: for biodegradable mouldable nonwoven automotive components *Parikh, Calamari, Sawhney, Blanchard, Screen, Warnock, Muller, Stryjewski* .. 618
Keratin
supermolecular structure of wool fibers: SAXS method for evaluating changes with chemical agents *Pielesz, Włochowicz, Ślusarczyk* ... 308
Kinetics
dyeing kinetics of crosslinked cotton: finite bath of direct dyes *Chen, Yao, Chen, Chen* ... 55
Knits
3D dynamic garment pressure: numerical simulation *Zhang, Yeung, Li* ... 245
circular knitting machine parameters: predicting with conventional and neuro-fuzzy methods *Uçar, Ertugrul* ... 361
circular knitting machines: stitch length variation due to yarn winding tension variation in storage yarn feed wheel *Dias, Lanarolle* ... 997
classifying polar fleece fabrics: extended morphological fractal analysis *Hu, Xin, Yan* ... 879
cotton polo shirts: comfort sensations with and without DP treatment *Lau, Fan, Siu, Siu* ... 949
fabric bagging: objective and subjective analysis *Uçar, Realff, Radhakrishnaiah, Ucar* ... 977
fluff formation: friction of cotton yarn on circular knitting machines *Koo, Kim* ... 17
for composite reinforcement: load extension properties of plain weft knits made from high performance yarns *Hong, de Araújo, Fangueiro, Ciobanu* ... 991
hand of single knitted wools: total hand of lincLITE and conventional wool knits *Park, Hwang* ... 924
image analysis of fuzz and pills: fast, automatic, digital method *Jensen, Carstensen* ... 34
improved dimensional stability: cotton and rayon knits and wovens *Cortez, Ellis, Bishop* ... 673
polyester warp knits: cluster analysis of structural parameters that affect overall properties *Yoon, Park* ... 1013
steam-ironed plain knit wools: relaxation shrinkage characteristics of finishing *Chen, Au, Yuen, Yeung* ... 463
stitched seam grinning: knits subjected to repeated extension and recovery *Uçar* ... 944
surface contact between skin and fabric: novel observation technique with transparent silicone rubber *Sakaguchi, Matsumoto, Toriumi, Kim* ... 221
tensile drawing of rotor spun yarns: improved handle, drape, pilling propensity, dimensional stability, appearance *Hu, Jiang, Postle* ... 763
warp knitted structures: 3D computer modeling *Göktepe, Harlock* ... 266
weft knits: dimensional, pilling, and abrasion properties of knits from OE and ring spun yarns *Candan, Önal* ... 164
wicking of undergarment knits: transfer wicking mechanisms of outdoor fabrics *Zhuang, Harlock, Brook* ... 727
wrinkle-free treated fabrics: effects of repeated washing on garment performance *Lau, Fan, Siu, Siu* ... 931

Laundering
cotton coated with fluorinated resin: washing durability; AFM, XPS, LFMA spectroscopy study *Juhué, Gayon, Corpart, Quet, Delichère, Charret, David, Cavaillé, Perriat* ... 832
of steam-ironed plain knit wools: relaxation shrinkage characteristics of finishing *Chen, Au, Yuen, Yeung* ... 463
of wrinkle-free treated fabrics: effects of repeated washing on garment performance *Lau, Fan, Siu, Siu* ... 931
wash-and-wear finished silk: water-soluble polyurethane *Hu, Jin* ... 1009

waterproof breathable fabrics: polymeric fluorocarbon-coated polyester substrates for *Qi, Sui, Ma, Wang, Sun, Lu* ... 93

Lightfastness

of dyed microfiber polyester: disperse dyes; light- and washfastness *Uddin, Watanabe, Shirai, Hirai* 77

Linen

molecular weight distribution of cellulose: new GPC solvent; cotton, rayon, tencel, linen, ramie, kenaf *Rousselle* 131

Looms

yarn-object interactions: numerical simulation; tensioning and drop-off *Hung, Degrieck, Van Langenhove, Kiekens* 657

Mathematical Modeling

3D dynamic garment pressure: numerical simulation *Zhang, Yeung, Li* 245

3D fabric wrinkles: measuring and modeling with photometric stereo and image analysis methods *Hu, Xin, Yan* .. 863

3D flow calculation for dyeing: computational fluid dynamics simulation softwear *Scharf, Cleve, Bach, Schollmeyer, Naderwitz* 783

CAD model of warp knits: 3D solid modeling and visual simulation *Göktepe, Harlock* 266

compression of filament assemblies: physical analysis of porosity and pressure *Virto, Carbonell, Naik* 474

compressional behavior of fiber assemblies: computer simulation; comparison to van Wyk's theory *Beil, Roberts* .. 341

compressional behavior of fiber assemblies: hysteresis, crimp, orientation effects *Beil, Roberts* 375

constrained yarn dynamic modeling: for fabric simulation *Ngoc, Bruniaux, Castelain* 1002

cotton color classification: fuzzy logic for color grading *Xu, Dale, Huang, Watson* 504

cotton fiber length distribution: influence on strength efficiency of fibers in yarns *Zeidman, Sawhney* 216

coupled heat transfer and moisture diffusion: influence of thickness and porosity of textiles *Li, Zhu, Yeung* 435

dynamic heat and water transfer: through layered clothing systems *Fohr, Couton, Treguier* 1

dynamic lateral fabric compression: low force compression of fabric panels *Taylor, Pollet* 845

fabric compressional behavior: fabric compressional behavior: *Huang, Ghosh* 103

fabric drape profiles: predicting with model using polar coordinates *Lo, Hu, Li* 454

fabric thermal and moisture sensations: mathematical simulation of perceptions *Wang, Li, Kowk, Yeung* 327

fiber-on-fiber friction: energy dissipation in twisted fiber bundles under cyclic tensile loading *Qiu, Wang, Laton, Mi* 585

flexural buckling of irregular fibers: impact on fabric-evoked prickle; finite element model *He, Wang* 573

fluid flow through fibrous structures: two dimensional Ising's model for in-plane flow *Zhong, Ding, Tang* .. 751

for textural defect segmentation: Fourier-domain maximum likelihood estimation method *Chiu, Chou, Liaw, Wen* .. 253

hand of single knitted wools: total hand of lincLITE and conventional wool knits *Park, Hwang* 924

impact permeability of textiles: behavior in stable and variable through airflows *Gniotek, Tokarska* 170

isothermal draw processes: stretching and slipping model *Bechtel, Vohra, Jacob* 769

knits for composite reinforcement: load extension properties of plain weft knits made from high performance yarns *Hong, de Araújo, Fangueiro, Ciobanu* 991

macroporosity of woven cottons: using genetic programming to predict *Dubrovski, Brezocnik* 187

multilayered, needlepunched nonwovens: air permeability of fabrics; experimental versus theoretical results *Mohammadi, Banks-Lee* 613

pilling template for wool fabrics: objective evaluation with image analysis *Hu, Xin, Yan* 1057

polyester Shingosen fabrics: dynamic drape coefficient with swinging motion *Matsudaira, Yang, Kinari, Shintaku* .. 410

predicting fabric bagging: image processing and modeling *Yeung, Li, Zhang, Yao* 693

predicting nep number in cotton yarns: critical nep size *Frydrych, Matusiak* 917

rotor spun slub yarns: parameters of fancy yarns; slub length *Wang, Huang* 12

rotor spun yarns: new coaxial-helix structural model *Jiang, Hu, Postle* 892

shear properties: of woven fabrics in various directions; polar diagrams *Lo, Hu* 383

small weave repeat sizes: color and weave effects of two-color yarn sequences *Dawson* 854

static low-load lateral compression: cotton, wool, polyester, acrylic fabrics *Taylor, Pollet* 983

textile yarn grading: feature selection method using effective distance between clusters *Lien, Lee* 870

tufted carpet drying: increased air permeability with two different backings *Lee, Carr, LaRoche* 681

twist draft spinning system: small-scale production of special material yarns *Takemura, Nakazawa, Kawamura, Kobayashi* 135

twisted blended yarns: hybrid effect at fiber breaks *Rossettos, Godfrey* 313

whole roller carding system: model reduction and controller design *Kuo, Hsieh* 98

wool carpet wear: probability fracture mechanics; wear model of cut pile carpet *Liu, Tandon, Wood* 954

wool carpet wear: probability fracture mechanics; wear model of loop pile carpet *Liu, Tandon, Wood* 958

woven fabric analysis: under simple shear along arbitrary directions *Zhang, Xu* 147

yarn delivery in circular knitting machines: stitch length variation due to yarn winding tension variation in storage yarn feed wheel *Dias, Lanarolle* 997

yarn restitution characteristics: axial direction *Bao, Sakurai, Takatera, Nakazawa, Shrohara* 689

yarn-object interaction: numerical simulation; tensioning and drop-off *Hung, Degrieck, Van Langenhove, Kiekens* 657

Mechanical Properties

knit fabrics: objective and subjective analysis of bagging *Uçar, Realff, Radhakrishnaiah, Ucar* 977

of wash-and-wear finished silk: water-soluble polyurethane *Hu, Jin* 1009

Mercerization

crosslinking of ramie yarns: effect of NaOH mercerization with BTCA *Zhou, Yeung, Yuen* 531

of ramie fabric: effect on crosslinking with BTCA; physical properties and crosslink distribution *Zhou, Yeung, Yuen, Zhou* 795

Microfibers

dyeing conventional and microfiber polyester: disperse dyes; light- and washfastness *Uddin, Watanabe, Shirai, Hirai* 77

dyeing of polyester microfibers: analyzing dyeing behavior and chromaticity characteristics *Chen, Chen, Xing* ... 367

Microscopy

laser scanning confocal microscopy: determining diffusion and mass transfer coefficients of thin flat nylon film *McFarland, Carr, Michielsen* 756

SEM study of opossum fibers: surface morphology variations *Gore, Laing* 201

SFM and STM study of carbon fabric: surface structure of activated carbon fabric *Huang, Wang, Wang* 140

Mohair

and merino wool: classification with neural networks and image analysis *She, Kong, Nahavandi, Kouzani* 594

Moisture Phenomena

fabric thermal and moisture sensations: mathematical simulation of perceptions *Wang, Li, Kowk, Yeung* 327

Moisture Regain
wrinkle formation in wool fabrics: reduced wrinkling by incorporating bulky molecules of ninhydrin *Kuzuhara, Hori* 285
Moisture Transport
DC conductivity of cotton and rayon: quantitative theory of hygroscopic solids *Christie, Woodhead* 273
DC conductivity of hygroscopic solids: new model for wool and silk *Christie, Woodhead, Krenek, Sedcole* 303
effects of clothing material on comfort: thermoregulatory responses *Zhang, Gong, Yanai, Tokura* 83
in conditioned cotton terry: wetting and wicking phenomena as affected by conditioner *Van der Meeren, Cocquyt, Flores, Demeyere, Declercq* 423
in porous textiles: coupled heat and moisture diffusion; influence of thickness, porosity *Li, Zhu, Yeung* 435
in sleeping bags: effect of semipermeable and impermeable covers at subzero temperatures *Havenith* 281
through layered fabrics: dynamic heat and water transfer through clothing systems *Fohr, Couton, Treguier* 1
water vapor transport through clothing: low temperature breathablility study *Bartels, Umbach* 899
Molecular Modeling
direct dyes: aggregation of dyes *Inglesby, Zeronian, Elder* .. 231
Molecular Structure
supermolecular structure of wool fibers: SAXS method for evaluating changes with chemical agents *Pielesz, Włochowicz, Ślusarczyk* 308
Mordanting
to produce deodorizing cottons: mordant dyed with direct dyes and copper salt *Kobayashi, Sekiguchi, Nakanishi, Komiyama* 1088
Morphology
in thermally point-bonded nonwovens: morphology gradients *Wang, Michielsen* 394
of cotton stone washed with enzymes: effect of whole cellulase on supramolecular structure *Rousselle, Bertoniere, Howley, Goynes* 963
of fluorinated resin coated cotton: washing durability; AFM, XPS, LFMA spectroscopy study *Juhué, Gayon, Corpart, Quet, Delichère, Charret, David, Cavaillé, Perriat* 832
of nylon and polypropylene: modifying fabrics with atmospheric pressure plasmas *McCord, Hwang, Hauser, Qiu, Cuomo, Hankins, Bourham, Canup* 491
of polar fleece fabrics: extended morphological fractal analysis *Hu, Xin, Yan* 879
Mouldable Fabrics
meltblown nonwovens: robotic and meltblown integrated system; impact of process parameters *Farer, Seyam, Ghosh, Grant, Batra* 1033
mouldable angle interlock wovens: technical applications for composites, body armor *Chen, Lo, Tayyar, Day* .. 195

Neps
evenness and imperfection data on cotton: comparison of capacitance and optical methods *Price, Calamari, Meredith* 810
predicting nep number in cotton yarns: critical nep size *Frydrych, Matusiak* 917
Neural Networks
for classifying mohair and merino: image analysis *She, Kong, Nahavandi, Kouzani* 594
for detecting fabric defects: using two optical patterns *Tilocca, Borzone, Carosio, Durante* 545
textile yarn grading: feature selection method using effective distance between clusters *Lien, Lee* 870
to evaluate cotton trash and color: objective evaluation by image processing and neural network *Kang, Kim* 776
wrinkling of cotton fabrics: evaluating with image analysis and neural networks *Mori, Komiyama* 417

Nonwovens
as carpet backing: increased air permeability of tufted carpets with two different backings *Lee, Carr, LaRoche* 681
cotto[illegible]ntaining nonwovens: compressional behavior of perpendicular-laid fabrics; also polyester, bicomponent fibers *Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders* 550
for automotive composites: thermoformable biodegradable cellulosics; kenaf *Parikh, Calamari, Sawhney, Blanchard, Screen, Myatt, Muller, Stryjewski* 668
for particle filtration: electret of nonwoven polypropylene fabric *Yang, Lin, Tsai, Kuo* 1099
measuring fiber orientation: image analysis; Hough transform for off-line measurements *Pourdeyhimi, Kim* ... 803
morphology gradients: thermally point-bonded polyester *Wang, Michielsen* 394
mouldable fabrics: robotic and meltblown integrated system; impact of process parameters *Farer, Seyam, Ghosh, Grant, Batra* 1033
multilayered, needlepunched: air permeability of fabrics; experimental versus theoretical results *Mohammadi, Banks-Lee* 613
nonwoven papermaker felt: structural analysis by x-ray microtomography *Thibault, Bloch* 480
point-bonded: effect of bonding temperature on load-deformation structural changes *Kim, Pourdeyhimi, Abhiraman, Desai* 645
stain tests for: testing blend ratio of polyester/cellulose nonwovens *Lai* 499
web uniformity in: area-based strategy for determining *Pourdeyhimi, Kohel* 1065
Nozzles
JetRing spinning of cotton and polyester: influence on hairiness *Cheng, Li* 1079
Nylon
3D dynamic garment pressure: numerical simulation *Zhang, Yeung, Li* 245
ammonia treated: improved hand and dyeing properties *Lee, Lee, Wakida, Hayashi, Okada, Yanai* 539
compression of woven fabrics: novel stress-freezing technique *Potluri, Wilding, Memon* 1073
dyeing thin flat film: determining diffusion and mass transfer coefficients *McFarland, Carr, Michielsen* 756
nylon carpet grading: subjective method by quad analysis of paired comparisons *Miller* 1041
plasma treatment: modifying nylon and polypropylene with atmospheric pressure plasmas *McCord, Hwang, Hauser, Qiu, Cuomo, Hankins, Bourham, Canup* 491
single filament crimp in carpets: manipulating fiber structure to stabilize geometry in fibers and yarns *Miller* .. 601
wicking of undergarment knits: transfer wicking mechanisms of outdoor fabrics *Zhuang, Harlock, Brook* 727

Oligomers
extracted from polyester: influence of treatment conditions on oligomer quantity, composition *Recelj, Gorenšek, Žigon* 447
Optics
for detecting fabric defects: detecting with neural network using two optical patterns *Tilocca, Borzone, Carosio, Durante* 545
optical analysis of Classimat faults: cross-sectional areas and diameter deviations of yarn faults with varying blends *Mukhopadhyay, Sharma, Dasgupta* 178
to examine point-bonded nonwovens: effect of bonding temperature on load-deformation structural changes *Kim, Pourdeyhimi, Abhiraman, Desai* 645
to study 3D fabric wrinkles: measuring and modeling with photometric stereo and image analysis methods *Hu, Xin, Yan* 863
to study lyocell fiber fibrillation: relationship with physical properties *Udomkichdecha, Chiarakorn, Potiyaraj* ... 939

Papermaking
nonwoven papermaker felt: structural analysis by x-ray microtomography *Thibault, Bloch* 480
Pattern Recognition
in grading textile yarns: statistical technique *Lien, Lee* .. 320
Permeability
for measuring fiber fineness: permeability-to-air method with Sheffield apparatus *Dupont, LeJarre* 227
impact permeability of textiles: behavior in stable and variable through airflows *Gniotek, Tokarska* 170
improved drying of carpets: increased air permeability of tufted carpets with two different backings *Lee, Carr, LaRoche* 681
of multilayered, needlepunched nonwovens: air permeability of fabrics; experimental versus theoretical results *Mohammadi, Banks-Lee* 613
of rain covers for sleeping bags: effect of semipermeable and impermeable covers at subzero temperatures *Havenith* ... 281
of waterproof breathable fabrics: polymeric fluorocarbon-coated polyester substrates for *Qi, Sui, Ma, Wang, Sun, Lu* 93
water vapor transport through clothing: low temperature breathablility study *Bartels, Umbach* 899
Phase Change Materials
octadecane microcapsules on polyester: thermal storage/release, durability, and temperature sensing properties *Kim, Cho* 1093
Photomicrography
of surface contact between skin and fabric: novel observation technique with transparent silicone rubber *Sakaguchi, Matsumoto, Toriumi, Kim* 221
Pilling
image analysis of fuzz and pills: fast, automatic, digital method *Jensen, Carstensen* 34
of fabrics in wet and dry states: polyester, rayon, cotton, stretch fabrics; tester sensitivity *Göktepe* 625
of weft knits: dimensional, pilling, and abrasion properties of knits from OE and ring spun yarns *Candan, Önal* ... 164
pilling template for wool fabrics: objective evaluation with image analysis *Hu, Xin, Yan* 1057
Plasmas
for treating wool fabric: dimensional and surface properties with plasma and silicone treatment *Kim, Kang* 113
treatment for nylon and polypropylene: modifying with atmospheric pressure plasmas *McCord, Hwang, Hauser, Qiu, Cuomo, Hankins, Bourham, Canup* 491
Polyacrylic Acid Fibers
self-assembled composite fibers: chitosan-polyacrylic acid fibers at aqueous solution interface *Ohkawa, Ando, Shirakabe, Takahashi, Yamada, Shirai, Yamamoto* 120
Polyamide
dyed in supercritical carbon dioxide: damage at 300 bar and high temperatures *Schmidt, Bach, Schollmeyer* 1023
Polyarylate
polyarylate/polyester blend fibers: DSC thermal analysis *Xiao, Zhang, Wu* 391
Polyester
analyzing water-based processing solutions: ZnSe horizontal ATR cell; wastewater caustification solution *Choe, You, Lee* 290
antimicrobial fabrics: functional finishes for acrylic and cationic dyeable fabrics; intermolecular interactions *Kim, Sun* 1052
compression of nonwovens: behavior of perpendicular-laid cotton and polyester fabrics *Parikh, Calamari, Sawhney, Robert, Kimmel, Glynn, Jirsak, Mackova, Saunders* ... 550
compression of woven fabrics: novel stress-freezing technique *Potluri, Wilding, Memon* 1073
deep dye fabrics: combinatorial method for developing *Schiraldi, Martin* 153
dyeing conventional and microfiber polyester: disperse dyes; light- and washfastness *Uddin, Watanabe, Shirai, Hirai* ... 77
dyeing of microfibers: analyzing dyeing behavior and chromaticity characteristics *Chen, Chen, Xing* 367
fabric pilling in wet and dry states: polyester, rayon, cotton, stretch fabrics; tester sensitivity *Göktepe* 625
false-twist texturing of: new concept in cooler design *Foster, Aggarwal, Lu, Gunasekera, Cork* 567
fiber-on-fiber friction: energy dissipation in twisted fiber bundles under cyclic tensile loading *Qiu, Wang, Laton, Mi* 585
fine denier sliver: effects of pin drafting on irregularities *Sakaguchi, Matsumoto, Toriumi* 429
flame-resistant cotton/polyester carpeting: polycarboxylic acids for flame resistance *Blanchard, Graves* 39
JetRing spinning of cotton and polyester: influence on hairiness *Cheng, Li* 1079
ladder-knit fancy yarns: factors influencing properties *Nergis* 686
oligomers extracted from fabric: influence of treatment conditions on quantity, composition *Recelj, Gorenšek, Žigon* 447
open-end rotor spun hybrid yarns: spinning conditions and characteristics of cotton and bicomponent yarns *Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong* 61
optical analysis of Classimat faults: cross-sectional areas and diameter deviations of yarn faults with varying blends *Mukhopadhyay, Sharma, Dasgupta* 178
polyarylate/polyester blend fibers: DSC thermal analysis *Xiao, Zhang, Wu* 391
polyester warp knits: cluster analysis of structural parameters that affect overall properties *Yoon, Park* 1013
rotor spun fibers and blends: effect of fiber cross section *Alston, Hansen, Duncan* 352
rotor spun hybrid yarns: twisting mechanisms in spinning OE cotton and polyester *Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimastu, Shimizu, Shirai, Morooka, Gong* 735
Shingosen fabrics: dynamic drape coefficient with swinging motion *Matsudaira, Yang, Kinari, Shintaku* 410
stain tests for: testing blend ratio of polyester/cellulose nonwovens *Lai* 499
static low-load lateral compression: cotton, wool, polyester, acrylic fabrics *Taylor, Pollet* 983
stitched seam grinning: knits subjected to repeated extension and recovery *Uçar* 944
thermally point-bonded nonwovens: morphology gradients *Wang, Michielsen* 394
treated with phase-change microcapsules: thermal storage/release, durability, and temperature sensing properties *Kim, Cho* 1093
waterproof breathable fabrics: polymeric fluorocarbon-coated polyester substrates for *Qi, Sui, Ma, Wang, Sun, Lu* 93
weft knits: dimensional, pilling, and abrasion properties of knits from OE and ring spun yarns *Candan, Önal* ... 164
wicking of undergarment knits: transfer wicking mechanisms of outdoor fabrics *Zhuang, Harlock, Brook* 727
Polypropylene
for particle filtration: electret of nonwoven polypropylene fabric *Yang, Lin, Tsai, Kuo* 1099
mouldable structures: robotic and meltblown integrated system; impact of process parameters *Farer, Seyam, Ghosh, Grant, Batra* 1033
plasma treatment: modifying nylon and polypropylene with atmospheric pressure plasmas *McCord, Hwang, Hauser, Qiu, Cuomo, Hankins, Bourham, Canup* 491
Polyurethane
for wash-and-wear finished silk: water-soluble polyurethane *Hu, Jin* 1009
Polyvinyl Alcohol
blended pastes for warp sizing: reduced phase separation rates with surfactants *Zhu, Li* 206

Porosity
3D fluid flow calculation for dyeing: computational fluid dynamics simulation softwear *Scharf, Cleve, Bach, Schollmeyer, Naderwitz* 783
compression of filament assemblies: physical analysis of porosity and pressure *Virto, Carbonell, Naik* 474
coupled heat transfer and moisture diffusion: influence of thickness and porosity of textiles *Li, Zhu, Yeung* 435
macroporosity of woven cottons: using genetic programming to predict *Dubrovski, Brezocnik* 187
Prickle
flexural buckling of irregular fibers: impact on fabric-evoked prickle *He, Wang* 573
in cotton polo shirts: comfort sensations with and without DP treatment *Lau, Fan, Siu, Siu* 949
Printing
of rayon fabrics: influence of guar thickeners on interactions with dyes *Kokol, Turk, Schneider* 211

Ramie
crosslinking of yarns: effect of NaOH mercerization with BTCA *Zhou, Yeung, Yuen* 531
mercerized: effect on crosslinking with BTCA; physical properties and crosslink distribution *Zhou, Yeung, Yuen, Zhou* 795
Rayon
carbon fibers: cellulose based from lyocell precursor *Wu, Pan* 405
DC conductivity of: quantitative theory of hygroscopic solids *Christie, Woodhead* 273
fabric pilling in wet and dry states: polyester, rayon, cotton, stretch fabrics; tester sensitivity *Göktepe* 625
improved dimensional stability: cotton and rayon knits and wovens *Cortez, Ellis, Bishop* 673
molecular weight distribution of cellulose: new GPC solvent; cotton, rayon, tencel, linen, ramie, kenaf *Rousselle* 131
optical analysis of Classimat faults: cross-sectional areas and diameter deviations of yarn faults with varying blends *Mukhopadhyay, Sharma, Dasgupta* 178
printing of: influence of guar thickeners on interactions with dyes *Kokol, Turk, Schneider* 211
SFM and STM study of carbon fabric surface structure of activated carbon fabric *Huang, Wang, Wang* 140
Resins
fluorinated resin coated cotton: washing durability; AFM, XPS, LFMA spectroscopy study *Juhué, Gayon, Corpart, Quet, Delichère, Charret, David, Cavaillé, Perriat* 832
Retting
chemical retting of flax: alkaline conditions; better control with chelators *Adamsen, Akin, Rigsby* 789
enzyme retting of flax: chelating agents for efficiency *Adamsen, Akin, Rigsby* 296
enzyme retting of flax: endopolygalacturonase from Rhizopus oryzae fungus *Akin, Slomczynski, Rigsby, Eriksson* ... 27
enzyme retting of flax: influence of components in retting formulations *Akin, Foulk, Dodd* 510
enzyme retting of flax: modifying dew-retted fibers with air-atomized enzyme treatment *Evans, Akin, Morrison, Himmelsbach, Foulk* 579
improved chemical retting of kenaf: for biodegradable mouldable nonwoven automotive components *Parikh, Calamari, Sawhney, Blanchard, Screen, Warnock, Muller, Stryjewski* 618
Robotics
to produce mouldable structures: robotic and meltblown integrated system; impact of process parameters *Farer, Seyam, Ghosh, Grant, Batra* 1033

Scouring
continuous bioscouring process: minimizing required enzyme incubation time; cuticle removal *Lenting, Zwier, Nierstrasz* 825

Seaming
stitched seam grinning: knits subjected to repeated extension and recovery *Uçar* 944
Sewing
stitched seam grinning: knits subjected to repeated extension and recovery *Uçar* 944
Shear
fabric sound evaluation system: totally auditory-sensible textiles: wool suiting *Yi, Cho, Na, Casali* 638
of woven fabrics in various directions: shear hysteresis; polar diagrams *Lo, Hu* 383
woven fabric analysis: under simple shear along various directions *Zhang, Xu* 147
Shrinkage
in steam-ironed plain knit wools: relaxation shrinkage characteristics of finishing *Chen, Au, Yuen, Yeung* 463
Silicone
plasma and silicone treated wool: dimensional and surface properties with plasma and silicone treatment *Kim, Kang* 113
Silk
DC conductivity of hygroscopic solids: new model for wool and silk *Christie, Woodhead, Krenek, Sedcole* 303
dyed in supercritical carbon dioxide: damage at 300 bar and high temperatures *Schmidt, Bach, Schollmeyer* 1023
sound characteristics of silk wovens: effects of basic weave differences and yarn type variations *Kim, Cho, Na* ... 555
wash-and-wear finish: water-soluble polyurethane *Hu, Jin* 1009
Sizing
blended pastes for warp sizing: reduced phase separation rates with surfactants *Zhu, Li* 206
Sliver
cotton wax content: relationship with fiber and yarn properties *Cui, Price, Calamari, Hemstreet, Meredith* 399
made from fine denier polyester: effects of pin drafting on irregularities *Sakaguchi, Matsumoto, Toriumi* 429
mass density profiles: sequential channeling of mass variances in manufacturing *Jeong, Suh* 721
Solvents
to determine cellulose molecular weight distribution: new GPC solvent; cotton, rayon, tencel, linen, ramie, kenaf *Rousselle* 131
Sorption
chitin/cellulose composite fibers: behavior of metal ions on fibers modified by EDTA *Izumi, Shimizu, Higashimura* 515
in conditioned cotton terry: wetting and wicking phenomena as affected by conditioner *Van der Meeren, Cocquyt, Flores, Demeyere, Declercq* 423
of cotton polo shirts: comfort sensations with and without DP treatment *Lau, Fan, Siu, Siu* 949
Spinning
differential-twist wrapped yarns: made on hollow spinning machine *Li, Zhang, Li* 181
JetRing spinning of cotton and polyester: influence on hairiness *Cheng, Li* 1079
ladder-knit fancy yarns: factors influencing properties *Nergis* 686
open-end rotor spun hybrid yarns: spinning conditions and characteristics of cotton and bicomponent yarns *Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong* 61
ring, rotor, friction spun yarns: analyzing structural and physical properties *Huh, Kim, Oxenham* 156
rotor spun hybrid yarns: twisting mechanisms in spinning OE cotton and polyester *Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimastu, Shimizu, Shirai, Morooka, Gong* 735
rotor spun polyester: effect of fiber cross section *Alston, Hansen, Duncan* 352
rotor spun slub yarns: parameters of fancy yarns; slub length *Wang, Huang* 12

self-assembled composite fibers: chitosan-polyacrylic acid fibers at aqueous solution interface *Ohkawa, Ando, Shirakabe, Takahashi, Yamada, Shirai, Yamamoto* 120
twist draft spinning system: small-scale production of special material yarns *Takemura, Nakazawa, Kawamura, Kobayashi* 135

Starch
blended pastes for warp sizing: reduced phase separation rates with surfactants *Zhu, Li* 206

Statistical Techniques
for circular knitting machine parameters: predicting with conventional and neuro-fuzzy methods *Uçar, Ertugrul* 361
for grading textile yarns: pattern recognition theory *Lien, Lee* 320
for nonwoven web uniformity study: area-based atrategy for determining *Pourdeyhimi, Kohel* 1065
for nylon carpet grading: subjective method by quad analysis of paired comparisons *Miller* 1041
single filament crimp in carpets: manipulating fiber structure to stabilize geometry in fibers and yarns *Miller* .. 601
to evaluate cotton properties: microscopy system of longitudinal measurements *Huang, Xu* 713
to study wax content in cotton fibers: relationship with yarn properties *Price, Cui, Calamari, Meredith* 631
weaving density of woven fabrics: co-occurrence matrix for automatic inspection *Lin* 486
yarn mass density profiles: sequential channeling of mass variances in manufacturing *Jeong, Suh* 721

Stone Washing
of cotton fabric with enzymes: effect of whole cellulase on supramolecular structure *Rousselle, Bertoniere, Howley, Goynes* 963

Stress-Strain
in oligomer-extracted polyester: influence of treatment conditions on oligomer quantity, composition *Recelj, Gorenšek, Žigon* 447

Stretch Fabrics
fabric pilling in wet and dry states: polyester, rayon, cotton, stretch fabrics; tester sensitivity *Göktepe* 625

Stretching
of fibers in isothermal drawing: stretching and slipping model *Bechtel, Vohra, Jacob* 769

Surfactants
in blended pastes for warp sizing: reduced phase separation rates with surfactants *Zhu, Li* 206

Tensile Properties
nondestructive measurements: portable tester for fabrics *Fan, Gardiner, Hunter* 21
of cotton fibers in fabrics: influence of fiber length distribution on strength efficiency *Zeidman, Sawhney* 216
of rotor spun yarns: new coaxial-helix structural model *Jiang, Hu, Postle* 892
of totally auditory-sensible textiles: fabric sound evaluation system; wool suiting *Yi, Cho, Na, Casali* 638
wax content in cotton fibers: relationship with yarn properties *Price, Cui, Calamari, Meredith* 631

Texturing
airflow in texturing jets: fluid simulation *Rwei, Pai* 520
false-twist texturing systems: new concept in cooler design *Foster, Aggarwal, Lu, Gunasekera, Cork* 567

Thermal Analysis
fabric thermal and moisture sensations: mathematical simulation of perceptions *Wang, Li, Kowk, Yeung* 327
of polyarylate/polyester blends: DSC thermal analysis *Xiao, Zhang, Wu* 391

Thermostatic Fabrics
treated with phase-change microcapsules: thermal storage/release, durability, and temperature sensing properties *Kim, Cho* 1093

Twist
cotton single fiber properties: low, ideal, and high micronaire values *Foulk, McAlister* 885
differential-twist wrapped yarns: made on hollow spinning machine *Li, Zhang, Li* 181
false-twist texturing systems: new concept in cooler design *Foster, Aggarwal, Lu, Gunasekera, Cork* 567
in rotor spun hybrid yarns: twisting mechanisms in spinning OE cotton and polyester *Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimastu, Shimizu, Shirai, Morooka, Gong* 735
of tensile drawn rotor spun yarns: processing variables and property changes *Hu, Jiang* 741
rotor spun yarns: new coaxial-helix structural model *Jiang, Hu, Postle* 892
single filament crimp in carpets: manipulating fiber structure to stabilize geometry in fibers and yarns *Miller* .. 601
twist draft spinning system: small-scale production of special material yarns *Takemura, Nakazawa, Kawamura, Kobayashi* 135
twisted blended yarns: hybrid effect at fiber breaks *Rossettos, Godfrey* 313
twisted fiber bundles: energy dissipation under cyclic tensile loading *Qiu, Wang, Laton, Mi* 585

Ultrasound
for dye breakage: Disperse Red 60 under ultrasound *Lee, Chung, Kim* 663

Washfastness
dyeing with disperse dyes: reactive dyes on cotton in supercritical carbon dioxide *Maeda, Hongyou, Kunitou, Mishima* 240
dyeing wool with fungal acid dyes: dermorubin and chlorodermorubin natural anthraquinone carboxylic acid dyes *Räisänen, Nousiainen, Hynninen* 973
of dyed microfiber polyester: disperse dyes; light- and washfastness *Uddin, Watanabe, Shirai, Hirai* 77

Water Vapor Transfer
rain covers for sleeping bags: effect of semipermeable and impermeable covers at subzero temperatures *Havenith* .. 281

Waterproofing
waterproof breathable fabrics: polymeric fluorocarbon-coated polyester substrates for *Qi, Sui, Ma, Wang, Sun, Lu* 93

Weaving
small weave repeat sizes: color and weave effects of two-color yarn sequences *Dawson* 854
sound characteristics of silk wovens: effects of basic weave differences and yarn type variations *Kim, Cho, Na* 555
weaving density of woven fabrics: co-occurrence matrix for automatic inspection *Lin* 486
yarn-object interactions: numerical simulation; tensioning and drop-off *Hung, Degrieck, Van Langenhove, Kiekens* 657

Wetting
of conditioned cotton terry: wetting and wicking phenomena as affected by conditioner *Van der Meeren, Cocquyt, Flores, Demeyere, Declercq* 423

Whiteness
BTCA chemical analysis: comparison of industrial and reagent grade products on cotton *Yang, Lu, Lickfield* ... 817

Whitening
bleaching cashmere: sodium bisulfite as a rinsing auxiliary *Khishigsuren, Nakajima, Takahashi* 51

Wicking
of conditioned cotton terry: wetting and wicking phenomena as affected by conditioner *Van der Meeren, Cocquyt, Flores, Demeyere, Declercq* 423
of undergarment knits: transfer wicking mechanisms of outdoor fabrics *Zhuang, Harlock, Brook* 727

Wool Fabrics
chitosan-treated wool fabrics: changes in mechanical properties *Jeong, Cha, Yu, Park* 70

creaseproof finish for wool: 2-iminothiorane hydrochloride; reaction mechanism *Kuzuhara, Hori* 526
DC conductivity of hygroscopic solids: new model for wool and silk *Christie, Woodhead, Krenek, Sedcole* 303
deodorizing fabrics: acid mordant dyed with copper salt *Kobayashi, Nakanishi, Komiyama* 125
dyeing wool with fungal acid dyes: dermorubin and chlorodermorubin natural anthraquinone carboxylic acid dyes *Räisänen, Nousiainen, Hynninen* 973
fabric sound evaluation system: totally auditory-sensible textiles; wool suiting *Yi, Cho, Na, Casali* 638
hand of single knitted wools: total hand of lincLITE and conventional wool knits *Park, Hwang* 924
historic American flags: digital image analysis of modern and historic fabrics *Cardamone, Damert, Phillips, Marmer* 906
pilling template for: objective evaluation with image analysis *Hu, Xin, Yan* 1057
plasma and silicone treated wool: dimensional and surface properties with plasma and silicone treatment *Kim, Kang* 113
static low-load lateral compression: cotton, wool, polyester, acrylic fabrics *Taylor, Pollet* 983
steam-ironed plain knit wools: relaxation shrinkage characteristics of finishing *Chen, Au, Yuen, Yeung* 463
wrinkle recovery in: reduced wrinkling by incorporating bulky molecules of ninhydrin *Kuzuhara, Hori* 285

Wool Fibers
differential-twist wrapped yarns: made on hollow spinning machine *Li, Zhang, Li* 181
dyed in supercritical carbon dioxide: damage at 300 bar and high temperatures *Schmidt, Bach, Schollmeyer* 1023
mohair and merino wool: classification with neural networks and image analysis *She, Kong, Nahavandi, Kouzani* 594
supermolecular structure: SAXS method for evaluating changes with chemical agents *Pielesz, Włochowicz, Ślusarczyk* 308
weaving yarn-object interactions: numerical simulation; tensioning and drop-off *Hung, Degrieck, Van Langenhove, Kiekens* 657
wool carpet wear: probability fracture mechanics; wear model of cut pile carpet *Liu, Tandon, Wood* 954
wool carpet wear: probability fracture mechanics; wear model of loop pile carpet *Liu, Tandon, Wood* 958

Wrinkle Recovery
BTCA chemical analysis: comparison of industrial and reagent grade products on cotton *Yang, Lu, Lickfield* ... 817
creaseproof finish for wool: 2-iminothiorane hydrochloride; reaction mechanism *Kuzuhara, Hori* 526
crosslinking of ramie yarns: effect of NaOH mercerization with BTCA *Zhou, Yeung, Yuen* 531
moisture regain in wool fabrics: reducing by incorporating bulky molecules of ninhydrin *Kuzuhara, Hori* 285
nonformaldehyde DP cotton finish: evaluation of cellulose-bound glyoxal *Schramm, Rinderer* 357
plasma and silicone treated wool: dimensional and surface properties with plasma and silicone treatment *Kim, Kang* 113

Wrinkling
3D fabric wrinkles: measuring and modeling with photometric stereo and image analysis methods *Hu, Xin, Yan* .. 863
geometric modeling of fabric surfaces: cyber replica for fabric property grading *Kang, Cho, Kim* 44
of cotton fabrics: evaluating with image analysis and neural networks *Mori, Komiyama* 417
surface contact between skin and fabric: novel observation technique with transparent silicone rubber *Sakaguchi, Matsumoto, Toriumi, Kim* 221
wrinkle-free treated knits: effects of repeated washing on garment performance *Lau, Fan, Siu, Siu* 931

X-Rays
of ammonia treated nylon: improved hand and dyeing properties *Lee, Lee, Wakida, Hayashi, Okada, Yanai* 539
of creaseproof finished wool: 2-iminothiorane hydrochloride; reaction mechanism *Kuzuhara, Hori* 526
of nonwoven papermaker felt: structural analysis by x-ray microtomography *Thibault, Bloch* 480
of two-dimensional braided fabrics: experimental and theoretical characteristics of geometry *Lomov, Parnas, Ghosh, Verpoest, Nakai* 706
supermolecular structure of wool fibers: SAXS method for evaluating changes with chemical agents *Pielesz, Włochowicz, Ślusarczyk* 308
WAXD analysis of lyocell fibers: physical properties; spun from isotropic cellulose dope *Chae, Chae, Kim, Oh, Jo, Lee* ... 335

Yarn Irregularity
optical analysis of Classimat faults: cross-sectional areas and diameter deviations of yarn faults with varying blends *Mukhopadhyay, Sharma, Dasgupta* 178

Yarn Properties
cotton wax content: relationship with fiber and yarn properties *Cui, Price, Calamari, Hemstreet, Meredith* 399

Yarns
constrained yarn dynamic modeling: for fabric simulation *Ngoc, Bruniaux, Castelain* 1002
delivery in circular knitting machines: stitch length variation due to yarn winding tension variation in storage yarn feed wheel *Dias, Lanarolle* 997
differential-twist wrapped yarns: made on hollow spinning machine *Li, Zhang, Li* 181
evenness and imperfection data on cotton: comparison of capacitance and optical methods *Price, Calamari, Meredith* 810
grading of: applying pattern recognition principles to *Lien, Lee* 320
mass density profiles: sequential channeling of mass variances in manufacturing *Jeong, Suh* 721
ring, rotor, friction spun yarns: analyzing structural and physical properties *Huh, Kim, Oxenham* 156
rotor spun yarns: new coaxial-helix structural model *Jiang, Hu, Postle* 892
tensile drawn rotor spun yarns: processing variables and property changes *Hu, Jiang* 741
textile yarn grading: feature selection method using effective distance between clusters *Lien, Lee* 870
wax in cotton fibers: relationship with yarn properties *Price, Cui, Calamari, Meredith* 631
yarn restitution characteristics: axial direction *Bao, Sakurai, Takatera, Nakazawa, Shrohara* 689

Yarns, Bicomponent
open-end rotor spun hybrid yarns: spinning conditions and characteristics of cotton and bicomponent yarns *Pouresfandiari, Fushimi, Sakaguchi, Saito, Toriumi, Nishimatsu, Shimizu, Shirai, Matsumoto, Gong* 61

Yarns, Fancy
rotor spun slub yarns: parameters of fancy yarns; slub length *Wang, Huang* 12

Yarns, Hybrid
twisting mechanisms: spinning OE rotor spun cotton and polyester *Matsumoto, Fushimi, Saito, Sakaguchi, Toriumi, Nishimastu, Shimizu, Shirai, Morooka, Gong* ... 735

Yarns, Specialty
ladder-knit fancy yarns: factors influencing properties *Nergis* 686
small-scale production of: twist draft spinning system for *Takemura, Nakazawa, Kawamura, Kobayashi* 135
twisted blended yarns: hybrid effect at fiber breaks *Rossettos, Godfrey* 313